


# TΔICON



## Pin Headers and Sockets

Product selection

**anglia**  
[www.anglia.com](http://www.anglia.com)

**TAICOM type TPH, TFH & TMJ****INTRODUCTION**

A wide range of pin headers and sockets available in a choice of industry standard pitch configurations with each size offering the option of mounting method, single or double row straight formats and amount of ways. Right angle versions and extended pin headers for board stacking are also listed together with mini jumper links in various styles and colours enabling a simple and cost effective solution to pcb interconnection. UL94V-0 flame retardant mouldings are employed throughout, many of which are end and side stackable, with pins and contacts gold over nickel plated for higher reliability. A family of turned pin headers and sockets completes the product line up.

- ◆ Range comprises of pin headers, sockets and jumper links
- ◆ Choice of **1.27, 1.27 x 2.54, 2.0 or 2.54mm pitch**
- ◆ Option of **SMD or through hole mounting**
- ◆ **Single and double row** available
- ◆ **Straight and right angle** versions provided
- ◆ Broad selection of ways
- ◆ **Extended pin headers included** for board spacing
- ◆ **Mini jumper links offered** in various styles/colours
- ◆ Gold over nickel pins and contacts
- ◆ Flame retardant insulators and bodies
- ◆ Creates a simple and cost effective connection system

**Specification****Pin Headers**

Termination pins .....	Copper alloy, gold over nickel plated
Insulators.....	Hi-temp plastic flame retardant to UL94V-0
Current rating .....	1A
Proof voltage .....	500Vac
Insulation resistance (min) at 500Vdc .....	1000MΩ
Operating temperature range .....	-25°C to +105°C

**Sockets**

Contacts .....	Phosphor bronze, gold over nickel plated on contact areas, tin plated over nickel on solder pins
Body .....	Hi-temp plastic flame retardant to UL94V-0
Current rating .....	1A
Proof voltage .....	500Vac
Contact resistance (max) .....	30mΩ
Insulation resistance (min) .....	1000MΩ
Operating temperature range.....	-25°C to +105°C

**Mini Jumper Links**

Contacts.....	Phosphor bronze, gold over nickel plated
Body.....	Hi-temp plastic flame retardant to UL94V-0 (open/closed only)
Current rating .....	1A
Proof voltage .....	250Vac (1.27mm) 500Vac (2.0 & 2.54mm pitch)
Contact resistance (max) .....	30mΩ
Insulation resistance (min) .....	1000MΩ
Operating temperature range.....	-25°C to +105°C

**INDEX****Pin Headers**

1.27mm Pitch	Pages 2 to 4
1.27 x 2.54mm Pitch	Page 8
2.0mm Pitch	Pages 10 to 11
2.54mm Pitch	Pages 15 to 17

**Sockets**

1.27mm Pitch	Pages 5 to 7
1.27 x 2.54mm Pitch	Page 9
2.0mm Pitch	Pages 12 to 14
2.54mm Pitch	Pages 18 to 20

**Extended Pin Headers**

Introduction	Page 21
1.27mm Pitch	Pages 22 to 23
1.27 x 2.54mm Pitch	Page 24
2.0mm Pitch	Pages 25 to 26
2.54mm Pitch	Pages 27 to 28

**Mini Jumper Links**

1.27mm Pitch	Page 7
2.0mm Pitch	Page 13
2.54mm Pitch	Page 21

**Turned Pin Headers & Sockets**


2.54mm Pitch	Page 29
--------------	---------

**Surface Mount**

A range of straight, surface mounting pin headers on a 1.27mm pitch available in single and double row.

**SINGLE ROW**

Choice of 2 to 40 ways.



**DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins).



Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	<b>TPH02CSSNB</b>
3 way	<b>TPH03CSSNB</b>
4 way	<b>TPH04CSSNB</b>
5 way	<b>TPH05CSSNB</b>
6 way	<b>TPH06CSSNB</b>
7 way	<b>TPH07CSSNB</b>
8 way	<b>TPH08CSSNB</b>
9 way	<b>TPH09CSSNB</b>
10 way	<b>TPH10CSSNB</b>
11 way	<b>TPH11CSSNB</b>
12 way	<b>TPH12CSSNB</b>
13 way	<b>TPH13CSSNB</b>
14 way	<b>TPH14CSSNB</b>
15 way	<b>TPH15CSSNB</b>
16 way	<b>TPH16CSSNB</b>
17 way	<b>TPH17CSSNB</b>
18 way	<b>TPH18CSSNB</b>
19 way	<b>TPH19CSSNB</b>
20 way	<b>TPH20CSSNB</b>
21 way	<b>TPH21CSSNB</b>
22 way	<b>TPH22CSSNB</b>
23 way	<b>TPH23CSSNB</b>
24 way	<b>TPH24CSSNB</b>
25 way	<b>TPH25CSSNB</b>
26 way	<b>TPH26CSSNB</b>
27 way	<b>TPH27CSSNB</b>
28 way	<b>TPH28CSSNB</b>
29 way	<b>TPH29CSSNB</b>
30 way	<b>TPH30CSSNB</b>
31 way	<b>TPH31CSSNB</b>
32 way	<b>TPH32CSSNB</b>
33 way	<b>TPH33CSSNB</b>
34 way	<b>TPH34CSSNB</b>
35 way	<b>TPH35CSSNB</b>
36 way	<b>TPH36CSSNB</b>
37 way	<b>TPH37CSSNB</b>
38 way	<b>TPH38CSSNB</b>
39 way	<b>TPH39CSSNB</b>
40 way	<b>TPH40CSSNB</b>

Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	<b>TPH02CDSNB</b>
3 way	<b>TPH03CDSNB</b>
4 way	<b>TPH04CDSNB</b>
5 way	<b>TPH05CDSNB</b>
6 way	<b>TPH06CDSNB</b>
7 way	<b>TPH07CDSNB</b>
8 way	<b>TPH08CDSNB</b>
9 way	<b>TPH09CDSNB</b>
10 way	<b>TPH10CDSNB</b>
11 way	<b>TPH11CDSNB</b>
12 way	<b>TPH12CDSNB</b>
13 way	<b>TPH13CDSNB</b>
14 way	<b>TPH14CDSNB</b>
15 way	<b>TPH15CDSNB</b>
16 way	<b>TPH16CDSNB</b>
17 way	<b>TPH17CDSNB</b>
18 way	<b>TPH18CDSNB</b>
19 way	<b>TPH19CDSNB</b>
20 way	<b>TPH20CDSNB</b>
21 way	<b>TPH21CDSNB</b>
22 way	<b>TPH22CDSNB</b>
23 way	<b>TPH23CDSNB</b>
24 way	<b>TPH24CDSNB</b>
25 way	<b>TPH25CDSNB</b>
26 way	<b>TPH26CDSNB</b>
27 way	<b>TPH27CDSNB</b>
28 way	<b>TPH28CDSNB</b>
29 way	<b>TPH29CDSNB</b>
30 way	<b>TPH30CDSNB</b>
31 way	<b>TPH31CDSNB</b>
32 way	<b>TPH32CDSNB</b>
33 way	<b>TPH33CDSNB</b>
34 way	<b>TPH34CDSNB</b>
35 way	<b>TPH35CDSNB</b>
36 way	<b>TPH36CDSNB</b>
37 way	<b>TPH37CDSNB</b>
38 way	<b>TPH38CDSNB</b>
39 way	<b>TPH39CDSNB</b>
40 way	<b>TPH40CDSNB</b>


**Dimensions (mm)****Dimensions (mm)**

## Through Hole

A range of straight, through hole mounting pin headers on a 1.27mm pitch available in single and double row.


## SINGLE ROW

Choice of 2 to 40 ways.



## DOUBLE ROW



Choice of 2 to 40 ways (4 to 80 pins).




Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TPH02CSS
3 way	TPH03CSS
4 way	TPH04CSS
5 way	TPH05CSS
6 way	TPH06CSS
7 way	TPH07CSS
8 way	TPH08CSS
9 way	TPH09CSS
10 way	TPH10CSS
11 way	TPH11CSS
12 way	TPH12CSS
13 way	TPH13CSS
14 way	TPH14CSS
15 way	TPH15CSS
16 way	TPH16CSS
17 way	TPH17CSS
18 way	TPH18CSS
19 way	TPH19CSS
20 way	TPH20CSS
21 way	TPH21CSS
22 way	TPH22CSS
23 way	TPH23CSS
24 way	TPH24CSS
25 way	TPH25CSS
26 way	TPH26CSS
27 way	TPH27CSS
28 way	TPH28CSS
29 way	TPH29CSS
30 way	TPH30CSS
31 way	TPH31CSS
32 way	TPH32CSS
33 way	TPH33CSS
34 way	TPH34CSS
35 way	TPH35CSS
36 way	TPH36CSS
37 way	TPH37CSS
38 way	TPH38CSS
39 way	TPH39CSS
40 way	TPH40CSS

Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TPH02CDS
3 way	TPH03CDS
4 way	TPH04CDS
5 way	TPH05CDS
6 way	TPH06CDS
7 way	TPH07CDS
8 way	TPH08CDS
9 way	TPH09CDS
10 way	TPH10CDS
11 way	TPH11CDS
12 way	TPH12CDS
13 way	TPH13CDS
14 way	TPH14CDS
15 way	TPH15CDS
16 way	TPH16CDS
17 way	TPH17CDS
18 way	TPH18CDS
19 way	TPH19CDS
20 way	TPH20CDS
21 way	TPH21CDS
22 way	TPH22CDS
23 way	TPH23CDS
24 way	TPH24CDS
25 way	TPH25CDS
26 way	TPH26CDS
27 way	TPH27CDS
28 way	TPH28CDS
29 way	TPH29CDS
30 way	TPH30CDS
31 way	TPH31CDS
32 way	TPH32CDS
33 way	TPH33CDS
34 way	TPH34CDS
35 way	TPH35CDS
36 way	TPH36CDS
37 way	TPH37CDS
38 way	TPH38CDS
39 way	TPH39CDS
40 way	TPH40CDS


## Dimensions (mm)




Hole Pattern



## Dimensions (mm)



Hole Pattern




**Through Hole**


A range of right angle, through hole mounting pin headers on a 1.27mm pitch available in single and double row.

**SINGLE ROW**

Choice of 2 to 40 ways.





**DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins).



Type	Manf. Part No. & anglia Order Code
<b>RIGHT ANGLE</b>	
2 way	<b>TPH02CSR</b>
3 way	<b>TPH03CSR</b>
4 way	<b>TPH04CSR</b>
5 way	<b>TPH05CSR</b>
6 way	<b>TPH06CSR</b>
7 way	<b>TPH07CSR</b>
8 way	<b>TPH08CSR</b>
9 way	<b>TPH09CSR</b>
10 way	<b>TPH10CSR</b>
11 way	<b>TPH11CSR</b>
12 way	<b>TPH12CSR</b>
13 way	<b>TPH13CSR</b>
14 way	<b>TPH14CSR</b>
15 way	<b>TPH15CSR</b>
16 way	<b>TPH16CSR</b>
17 way	<b>TPH17CSR</b>
18 way	<b>TPH18CSR</b>
19 way	<b>TPH19CSR</b>
20 way	<b>TPH20CSR</b>
21 way	<b>TPH21CSR</b>
22 way	<b>TPH22CSR</b>
23 way	<b>TPH23CSR</b>
24 way	<b>TPH24CSR</b>
25 way	<b>TPH25CSR</b>
26 way	<b>TPH26CSR</b>
27 way	<b>TPH27CSR</b>
28 way	<b>TPH28CSR</b>
29 way	<b>TPH29CSR</b>
30 way	<b>TPH30CSR</b>
31 way	<b>TPH31CSR</b>
32 way	<b>TPH32CSR</b>
33 way	<b>TPH33CSR</b>
34 way	<b>TPH34CSR</b>
35 way	<b>TPH35CSR</b>
36 way	<b>TPH36CSR</b>
37 way	<b>TPH37CSR</b>
38 way	<b>TPH38CSR</b>
39 way	<b>TPH39CSR</b>
40 way	<b>TPH40CSR</b>

Type	Manf. Part No. & anglia Order Code
<b>RIGHT ANGLE</b>	
2 way	<b>TPH02CDR</b>
3 way	<b>TPH03CDR</b>
4 way	<b>TPH04CDR</b>
5 way	<b>TPH05CDR</b>
6 way	<b>TPH06CDR</b>
7 way	<b>TPH07CDR</b>
8 way	<b>TPH08CDR</b>
9 way	<b>TPH09CDR</b>
10 way	<b>TPH10CDR</b>
11 way	<b>TPH11CDR</b>
12 way	<b>TPH12CDR</b>
13 way	<b>TPH13CDR</b>
14 way	<b>TPH14CDR</b>
15 way	<b>TPH15CDR</b>
16 way	<b>TPH16CDR</b>
17 way	<b>TPH17CDR</b>
18 way	<b>TPH18CDR</b>
19 way	<b>TPH19CDR</b>
20 way	<b>TPH20CDR</b>
21 way	<b>TPH21CDR</b>
22 way	<b>TPH22CDR</b>
23 way	<b>TPH23CDR</b>
24 way	<b>TPH24CDR</b>
25 way	<b>TPH25CDR</b>
26 way	<b>TPH26CDR</b>
27 way	<b>TPH27CDR</b>
28 way	<b>TPH28CDR</b>
29 way	<b>TPH29CDR</b>
30 way	<b>TPH30CDR</b>
31 way	<b>TPH31CDR</b>
32 way	<b>TPH32CDR</b>
33 way	<b>TPH33CDR</b>
34 way	<b>TPH34CDR</b>
35 way	<b>TPH35CDR</b>
36 way	<b>TPH36CDR</b>
37 way	<b>TPH37CDR</b>
38 way	<b>TPH38CDR</b>
39 way	<b>TPH39CDR</b>
40 way	<b>TPH40CDR</b>

**Dimensions (mm)****Hole Pattern****Dimensions (mm)**

## Surface Mount

A range of straight, surface mounting sockets on a 1.27mm pitch available in single and double row.


## SINGLE ROW

Choice of 2 to 40 ways.




## DOUBLE ROW

Choice of 2 to 40 ways (4 to 80 contacts).




Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TFH02CSSNB</b>
3 way	<b>TFH03CSSNB</b>
4 way	<b>TFH04CSSNB</b>
5 way	<b>TFH05CSSNB</b>
6 way	<b>TFH06CSSNB</b>
7 way	<b>TFH07CSSNB</b>
8 way	<b>TFH08CSSNB</b>
9 way	<b>TFH09CSSNB</b>
10 way	<b>TFH10CSSNB</b>
11 way	<b>TFH11CSSNB</b>
12 way	<b>TFH12CSSNB</b>
13 way	<b>TFH13CSSNB</b>
14 way	<b>TFH14CSSNB</b>
15 way	<b>TFH15CSSNB</b>
16 way	<b>TFH16CSSNB</b>
17 way	<b>TFH17CSSNB</b>
18 way	<b>TFH18CSSNB</b>
19 way	<b>TFH19CSSNB</b>
20 way	<b>TFH20CSSNB</b>
21 way	<b>TFH21CSSNB</b>
22 way	<b>TFH22CSSNB</b>
23 way	<b>TFH23CSSNB</b>
24 way	<b>TFH24CSSNB</b>
25 way	<b>TFH25CSSNB</b>
26 way	<b>TFH26CSSNB</b>
27 way	<b>TFH27CSSNB</b>
28 way	<b>TFH28CSSNB</b>
29 way	<b>TFH29CSSNB</b>
30 way	<b>TFH30CSSNB</b>
31 way	<b>TFH31CSSNB</b>
32 way	<b>TFH32CSSNB</b>
33 way	<b>TFH33CSSNB</b>
34 way	<b>TFH34CSSNB</b>
35 way	<b>TFH35CSSNB</b>
36 way	<b>TFH36CSSNB</b>
37 way	<b>TFH37CSSNB</b>
38 way	<b>TFH38CSSNB</b>
39 way	<b>TFH39CSSNB</b>
40 way	<b>TFH40CSSNB</b>

## Dimensions (mm)



Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TFH02CDSNB</b>
3 way	<b>TFH03CDSNB</b>
4 way	<b>TFH04CDSNB</b>
5 way	<b>TFH05CDSNB</b>
6 way	<b>TFH06CDSNB</b>
7 way	<b>TFH07CDSNB</b>
8 way	<b>TFH08CDSNB</b>
9 way	<b>TFH09CDSNB</b>
10 way	<b>TFH10CDSNB</b>
11 way	<b>TFH11CDSNB</b>
12 way	<b>TFH12CDSNB</b>
13 way	<b>TFH13CDSNB</b>
14 way	<b>TFH14CDSNB</b>
15 way	<b>TFH15CDSNB</b>
16 way	<b>TFH16CDSNB</b>
17 way	<b>TFH17CDSNB</b>
18 way	<b>TFH18CDSNB</b>
19 way	<b>TFH19CDSNB</b>
20 way	<b>TFH20CDSNB</b>
21 way	<b>TFH21CDSNB</b>
22 way	<b>TFH22CDSNB</b>
23 way	<b>TFH23CDSNB</b>
24 way	<b>TFH24CDSNB</b>
25 way	<b>TFH25CDSNB</b>
26 way	<b>TFH26CDSNB</b>
27 way	<b>TFH27CDSNB</b>
28 way	<b>TFH28CDSNB</b>
29 way	<b>TFH29CDSNB</b>
30 way	<b>TFH30CDSNB</b>
31 way	<b>TFH31CDSNB</b>
32 way	<b>TFH32CDSNB</b>
33 way	<b>TFH33CDSNB</b>
34 way	<b>TFH34CDSNB</b>
35 way	<b>TFH35CDSNB</b>
36 way	<b>TFH36CDSNB</b>
37 way	<b>TFH37CDSNB</b>
38 way	<b>TFH38CDSNB</b>
39 way	<b>TFH39CDSNB</b>
40 way	<b>TFH40CDSNB</b>

## Dimensions (mm)




## Through Hole

A range of straight, through hole mounting sockets on a 1.27mm pitch available in single and double row.

## SINGLE ROW


Choice of 2 to 40 ways.



Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TFH02CSS</b>
3 way	<b>TFH03CSS</b>
4 way	<b>TFH04CSS</b>
5 way	<b>TFH05CSS</b>
6 way	<b>TFH06CSS</b>
7 way	<b>TFH07CSS</b>
8 way	<b>TFH08CSS</b>
9 way	<b>TFH09CSS</b>
10 way	<b>TFH10CSS</b>
11 way	<b>TFH11CSS</b>
12 way	<b>TFH12CSS</b>
13 way	<b>TFH13CSS</b>
14 way	<b>TFH14CSS</b>
15 way	<b>TFH15CSS</b>
16 way	<b>TFH16CSS</b>
17 way	<b>TFH17CSS</b>
18 way	<b>TFH18CSS</b>
19 way	<b>TFH19CSS</b>
20 way	<b>TFH20CSS</b>
21 way	<b>TFH21CSS</b>
22 way	<b>TFH22CSS</b>
23 way	<b>TFH23CSS</b>
24 way	<b>TFH24CSS</b>
25 way	<b>TFH25CSS</b>
26 way	<b>TFH26CSS</b>
27 way	<b>TFH27CSS</b>
28 way	<b>TFH28CSS</b>
29 way	<b>TFH29CSS</b>
30 way	<b>TFH30CSS</b>
31 way	<b>TFH31CSS</b>
32 way	<b>TFH32CSS</b>
33 way	<b>TFH33CSS</b>
34 way	<b>TFH34CSS</b>
35 way	<b>TFH35CSS</b>
36 way	<b>TFH36CSS</b>
37 way	<b>TFH37CSS</b>
38 way	<b>TFH38CSS</b>
39 way	<b>TFH39CSS</b>
40 way	<b>TFH40CSS</b>


## DOUBLE ROW

Choice of 2 to 40 way (4 to 80 contacts).




Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TFH02CDS</b>
3 way	<b>TFH03CDS</b>
4 way	<b>TFH04CDS</b>
5 way	<b>TFH05CDS</b>
6 way	<b>TFH06CDS</b>
7 way	<b>TFH07CDS</b>
8 way	<b>TFH08CDS</b>
9 way	<b>TFH09CDS</b>
10 way	<b>TFH10CDS</b>
11 way	<b>TFH11CDS</b>
12 way	<b>TFH12CDS</b>
13 way	<b>TFH13CDS</b>
14 way	<b>TFH14CDS</b>
15 way	<b>TFH15CDS</b>
16 way	<b>TFH16CDS</b>
17 way	<b>TFH17CDS</b>
18 way	<b>TFH18CDS</b>
19 way	<b>TFH19CDS</b>
20 way	<b>TFH20CDS</b>
21 way	<b>TFH21CDS</b>
22 way	<b>TFH22CDS</b>
23 way	<b>TFH23CDS</b>
24 way	<b>TFH24CDS</b>
25 way	<b>TFH25CDS</b>
26 way	<b>TFH26CDS</b>
27 way	<b>TFH27CDS</b>
28 way	<b>TFH28CDS</b>
29 way	<b>TFH29CDS</b>
30 way	<b>TFH30CDS</b>
31 way	<b>TFH31CDS</b>
32 way	<b>TFH32CDS</b>
33 way	<b>TFH33CDS</b>
34 way	<b>TFH34CDS</b>
35 way	<b>TFH35CDS</b>
36 way	<b>TFH36CDS</b>
37 way	<b>TFH37CDS</b>
38 way	<b>TFH38CDS</b>
39 way	<b>TFH39CDS</b>
40 way	<b>TFH40CDS</b>

## Dimensions (mm)




## Dimensions (mm)




**Through Hole****SINGLE ROW SOCKETS**

A range of right angle, single row, through hole mounting sockets on a 1.27mm pitch. Choice of 2 to 40 ways.



Type	Manf. Part No. & anglia Order Code	Type	Manf. Part No. & anglia Order Code
<b>RIGHT ANGLE</b>			
2 way	<b>TFH02CSR</b>	21 way	<b>TFH21CSR</b>
3 way	<b>TFH03CSR</b>	22 way	<b>TFH22CSR</b>
4 way	<b>TFH04CSR</b>	23 way	<b>TFH23CSR</b>
5 way	<b>TFH05CSR</b>	24 way	<b>TFH24CSR</b>
6 way	<b>TFH06CSR</b>	25 way	<b>TFH25CSR</b>
7 way	<b>TFH07CSR</b>	26 way	<b>TFH26CSR</b>
8 way	<b>TFH08CSR</b>	27 way	<b>TFH27CSR</b>
9 way	<b>TFH09CSR</b>	28 way	<b>TFH28CSR</b>
10 way	<b>TFH10CSR</b>	29 way	<b>TFH29CSR</b>
11 way	<b>TFH11CSR</b>	30 way	<b>TFH30CSR</b>
12 way	<b>TFH12CSR</b>	31 way	<b>TFH31CSR</b>
13 way	<b>TFH13CSR</b>	32 way	<b>TFH32CSR</b>
14 way	<b>TFH14CSR</b>	33 way	<b>TFH33CSR</b>
15 way	<b>TFH15CSR</b>	34 way	<b>TFH34CSR</b>
16 way	<b>TFH16CSR</b>	35 way	<b>TFH35CSR</b>
17 way	<b>TFH17CSR</b>	36 way	<b>TFH36CSR</b>
18 way	<b>TFH18CSR</b>	37 way	<b>TFH37CSR</b>
19 way	<b>TFH19CSR</b>	38 way	<b>TFH38CSR</b>
20 way	<b>TFH20CSR</b>	39 way	<b>TFH39CSR</b>
		40 way	<b>TFH40CSR</b>

**Dimensions (mm)****MINI JUMPER LINKS**

1.27mm pitch shorting links for use with the surface mount and through hole 0.4mm square pin headers shown on the previous pages. Contacts gold over nickel plated for higher reliability. Choice of type and colour with other colours available to special volume order. End and side stackable.



Closed      With handle

**CLOSED TYPE**  
Fully covered link

Colour	Manf. Part No. & anglia Order Code
Black	<b>TMJC00C</b>
Red	<b>TMJC02C</b>
Yellow	<b>TMJC04C</b>
Green	<b>TMJC05C</b>
Blue	<b>TMJC06C</b>
White	<b>TMJC09C</b>

**WITH HANDLE**  
For easier removal

Colour	Manf. Part No. & anglia Order Code
Black	<b>TMJC00H</b>
Red	<b>TMJC02H</b>
Yellow	<b>TMJC04H</b>
Green	<b>TMJC05H</b>
Blue	<b>TMJC06H</b>
White	<b>TMJC09H</b>

**Dimensions (mm)****Dimensions (mm)**

A range of double row pin headers on a 1.27 x 2.54mm pitch. Available in surface and through hole mounting, each offers straight versions with a right angle option in through hole.

### Surface Mount


#### DOUBLE ROW

Choice of 2 to 40 ways (4 to 80 pins).




Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	TPH02EDSNB
3 way	TPH03EDSNB
4 way	TPH04EDSNB
5 way	TPH05EDSNB
6 way	TPH06EDSNB
7 way	TPH07EDSNB
8 way	TPH08EDSNB
9 way	TPH09EDSNB
10 way	TPH10EDSNB
11 way	TPH11EDSNB
12 way	TPH12EDSNB
13 way	TPH13EDSNB
14 way	TPH14EDSNB
15 way	TPH15EDSNB
16 way	TPH16EDSNB
17 way	TPH17EDSNB
18 way	TPH18EDSNB
19 way	TPH19EDSNB
20 way	TPH20EDSNB
21 way	TPH21EDSNB
22 way	TPH22EDSNB
23 way	TPH23EDSNB
24 way	TPH24EDSNB
25 way	TPH25EDSNB
26 way	TPH26EDSNB
27 way	TPH27EDSNB
28 way	TPH28EDSNB
29 way	TPH29EDSNB
30 way	TPH30EDSNB
31 way	TPH31EDSNB
32 way	TPH32EDSNB
33 way	TPH33EDSNB
34 way	TPH34EDSNB
35 way	TPH35EDSNB
36 way	TPH36EDSNB
37 way	TPH37EDSNB
38 way	TPH38EDSNB
39 way	TPH39EDSNB
40 way	TPH40EDSNB

#### Dimensions (mm)




#### Pad Pattern



### Through Hole

Choice of 2 to 40 ways (4 to 80 pins) with straight or r/angle option.




#### DOUBLE ROW

Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	TPH02EDS
3 way	TPH03EDS
4 way	TPH04EDS
5 way	TPH05EDS
6 way	TPH06EDS
7 way	TPH07EDS
8 way	TPH08EDS
9 way	TPH09EDS
10 way	TPH10EDS
11 way	TPH11EDS
12 way	TPH12EDS
13 way	TPH13EDS
14 way	TPH14EDS
15 way	TPH15EDS
16 way	TPH16EDS
17 way	TPH17EDS
18 way	TPH18EDS
19 way	TPH19EDS
20 way	TPH20EDS
21 way	TPH21EDS
22 way	TPH22EDS
23 way	TPH23EDS
24 way	TPH24EDS
25 way	TPH25EDS
26 way	TPH26EDS
27 way	TPH27EDS
28 way	TPH28EDS
29 way	TPH29EDS
30 way	TPH30EDS
31 way	TPH31EDS
32 way	TPH32EDS
33 way	TPH33EDS
34 way	TPH34EDS
35 way	TPH35EDS
36 way	TPH36EDS
37 way	TPH37EDS
38 way	TPH38EDS
39 way	TPH39EDS
40 way	TPH40EDS




#### RIGHT ANGLE

Type	Manf. Part No. & anglia Order Code
<b>RIGHT ANGLE</b>	
2 way	TPH02EDR
3 way	TPH03EDR
4 way	TPH04EDR
5 way	TPH05EDR
6 way	TPH06EDR
7 way	TPH07EDR
8 way	TPH08EDR
9 way	TPH09EDR
10 way	TPH10EDR
11 way	TPH11EDR
12 way	TPH12EDR
13 way	TPH13EDR
14 way	TPH14EDR
15 way	TPH15EDR
16 way	TPH16EDR
17 way	TPH17EDR
18 way	TPH18EDR
19 way	TPH19EDR
20 way	TPH20EDR
21 way	TPH21EDR
22 way	TPH22EDR
23 way	TPH23EDR
24 way	TPH24EDR
25 way	TPH25EDR
26 way	TPH26EDR
27 way	TPH27EDR
28 way	TPH28EDR
29 way	TPH29EDR
30 way	TPH30EDR
31 way	TPH31EDR
32 way	TPH32EDR
33 way	TPH33EDR
34 way	TPH34EDR
35 way	TPH35EDR
36 way	TPH36EDR
37 way	TPH37EDR
38 way	TPH38EDR
39 way	TPH39EDR
40 way	TPH40EDR

#### Dimensions (mm)



#### Hole Pattern




A range of double row straight sockets on a 1.27 x 2.54mm pitch available in surface and through hole mounting.

### Surface Mount

#### DOUBLE ROW

Choice of 2 to 40 ways (4 to 80 contacts).




Type	Manf. Part No. & anglia Order Code
STRAIGHT	
3 way	<b>TFH03EDSNB</b>
4 way	<b>TFH04EDSNB</b>
5 way	<b>TFH05EDSNB</b>
6 way	<b>TFH06EDSNB</b>
7 way	<b>TFH07EDSNB</b>
8 way	<b>TFH08EDSNB</b>
9 way	<b>TFH09EDSNB</b>
10 way	<b>TFH10EDSNB</b>
11 way	<b>TFH11EDSNB</b>
12 way	<b>TFH12EDSNB</b>
13 way	<b>TFH13EDSNB</b>
14 way	<b>TFH14EDSNB</b>
15 way	<b>TFH15EDSNB</b>
16 way	<b>TFH16EDSNB</b>
17 way	<b>TFH17EDSNB</b>
18 way	<b>TFH18EDSNB</b>
19 way	<b>TFH19EDSNB</b>
20 way	<b>TFH20EDSNB</b>
21 way	<b>TFH21EDSNB</b>
22 way	<b>TFH22EDSNB</b>
23 way	<b>TFH23EDSNB</b>
24 way	<b>TFH24EDSNB</b>
25 way	<b>TFH25EDSNB</b>
26 way	<b>TFH26EDSNB</b>
27 way	<b>TFH27EDSNB</b>
28 way	<b>TFH28EDSNB</b>
29 way	<b>TFH29EDSNB</b>
30 way	<b>TFH30EDSNB</b>
31 way	<b>TFH31EDSNB</b>
32 way	<b>TFH32EDSNB</b>
33 way	<b>TFH33EDSNB</b>
34 way	<b>TFH34EDSNB</b>
35 way	<b>TFH35EDSNB</b>
36 way	<b>TFH36EDSNB</b>
37 way	<b>TFH37EDSNB</b>
38 way	<b>TFH38EDSNB</b>
39 way	<b>TFH39EDSNB</b>
40 way	<b>TFH40EDSNB</b>

### Through Hole


#### DOUBLE ROW

Choice of 2 to 40 ways (4 to 80 contacts).




Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	<b>TFH02EDS</b>
3 way	<b>TFH03EDS</b>
4 way	<b>TFH04EDS</b>
5 way	<b>TFH05EDS</b>
6 way	<b>TFH06EDS</b>
7 way	<b>TFH07EDS</b>
8 way	<b>TFH08EDS</b>
9 way	<b>TFH09EDS</b>
10 way	<b>TFH10EDS</b>
11 way	<b>TFH11EDS</b>
12 way	<b>TFH12EDS</b>
13 way	<b>TFH13EDS</b>
14 way	<b>TFH14EDS</b>
15 way	<b>TFH15EDS</b>
16 way	<b>TFH16EDS</b>
17 way	<b>TFH17EDS</b>
18 way	<b>TFH18EDS</b>
19 way	<b>TFH19EDS</b>
20 way	<b>TFH20EDS</b>
21 way	<b>TFH21EDS</b>
22 way	<b>TFH22EDS</b>
23 way	<b>TFH23EDS</b>
24 way	<b>TFH24EDS</b>
25 way	<b>TFH25EDS</b>
26 way	<b>TFH26EDS</b>
27 way	<b>TFH27EDS</b>
28 way	<b>TFH28EDS</b>
29 way	<b>TFH29EDS</b>
30 way	<b>TFH30EDS</b>
31 way	<b>TFH31EDS</b>
32 way	<b>TFH32EDS</b>
33 way	<b>TFH33EDS</b>
34 way	<b>TFH34EDS</b>
35 way	<b>TFH35EDS</b>
36 way	<b>TFH36EDS</b>
37 way	<b>TFH37EDS</b>
38 way	<b>TFH38EDS</b>
39 way	<b>TFH39EDS</b>
40 way	<b>TFH40EDS</b>

#### Dimensions (mm)



#### Dimensions (mm)




Single Row available to special order

**Surface Mount**

A range of straight, surface mounting pin headers on a 2.0mm pitch available in single and double row.

**SINGLE ROW**

Choice of 3 to 40 ways.





**DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins).



Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
3 way	<b>TPH03BSSNB</b>
4 way	<b>TPH04BSSNB</b>
5 way	<b>TPH05BSSNB</b>
6 way	<b>TPH06BSSNB</b>
7 way	<b>TPH07BSSNB</b>
8 way	<b>TPH08BSSNB</b>
9 way	<b>TPH09BSSNB</b>
10 way	<b>TPH10BSSNB</b>
11 way	<b>TPH11BSSNB</b>
12 way	<b>TPH12BSSNB</b>
13 way	<b>TPH13BSSNB</b>
14 way	<b>TPH14BSSNB</b>
15 way	<b>TPH15BSSNB</b>
16 way	<b>TPH16BSSNB</b>
17 way	<b>TPH17BSSNB</b>
18 way	<b>TPH18BSSNB</b>
19 way	<b>TPH19BSSNB</b>
20 way	<b>TPH20BSSNB</b>
21 way	<b>TPH21BSSNB</b>
22 way	<b>TPH22BSSNB</b>
23 way	<b>TPH23BSSNB</b>
24 way	<b>TPH24BSSNB</b>
25 way	<b>TPH25BSSNB</b>
26 way	<b>TPH26BSSNB</b>
27 way	<b>TPH27BSSNB</b>
28 way	<b>TPH28BSSNB</b>
29 way	<b>TPH29BSSNB</b>
30 way	<b>TPH30BSSNB</b>
31 way	<b>TPH31BSSNB</b>
32 way	<b>TPH32BSSNB</b>
33 way	<b>TPH33BSSNB</b>
34 way	<b>TPH34BSSNB</b>
35 way	<b>TPH35BSSNB</b>
36 way	<b>TPH36BSSNB</b>
37 way	<b>TPH37BSSNB</b>
38 way	<b>TPH38BSSNB</b>
39 way	<b>TPH39BSSNB</b>
40 way	<b>TPH40BSSNB</b>

Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TPH02BDSSM</b>
3 way	<b>TPH03BDSSM</b>
4 way	<b>TPH04BDSSM</b>
5 way	<b>TPH05BDSSM</b>
6 way	<b>TPH06BDSSM</b>
7 way	<b>TPH07BDSSM</b>
8 way	<b>TPH08BDSSM</b>
9 way	<b>TPH09BDSSM</b>
10 way	<b>TPH10BDSSM</b>
11 way	<b>TPH11BDSSM</b>
12 way	<b>TPH12BDSSM</b>
13 way	<b>TPH13BDSSM</b>
14 way	<b>TPH14BDSSM</b>
15 way	<b>TPH15BDSSM</b>
16 way	<b>TPH16BDSSM</b>
17 way	<b>TPH17BDSSM</b>
18 way	<b>TPH18BDSSM</b>
19 way	<b>TPH19BDSSM</b>
20 way	<b>TPH20BDSSM</b>
21 way	<b>TPH21BDSSM</b>
22 way	<b>TPH22BDSSM</b>
23 way	<b>TPH23BDSSM</b>
24 way	<b>TPH24BDSSM</b>
25 way	<b>TPH25BDSSM</b>
26 way	<b>TPH26BDSSM</b>
27 way	<b>TPH27BDSSM</b>
28 way	<b>TPH28BDSSM</b>
29 way	<b>TPH29BDSSM</b>
30 way	<b>TPH30BDSSM</b>
31 way	<b>TPH31BDSSM</b>
32 way	<b>TPH32BDSSM</b>
33 way	<b>TPH33BDSSM</b>
34 way	<b>TPH34BDSSM</b>
35 way	<b>TPH35BDSSM</b>
36 way	<b>TPH36BDSSM</b>
37 way	<b>TPH37BDSSM</b>
38 way	<b>TPH38BDSSM</b>
39 way	<b>TPH39BDSSM</b>
40 way	<b>TPH40BDSSM</b>


**Dimensions (mm)****Pad Pattern****Dimensions (mm)****Pad Pattern**

## Through Hole

A range of straight and right angle, through hole mounting pin headers on a 2.0mm pitch available in single and double row.

## SINGLE ROW


Choice of 2 to 40 ways in both straight and right angle.



## STRAIGHT

Type	Manf. Part No. & anglia Order Code
2 way	TPH02BSS
3 way	TPH03BSS
4 way	TPH04BSS
5 way	TPH05BSS
6 way	TPH06BSS
8 way	TPH08BSS
10 way	TPH10BSS
12 way	TPH12BSS
18 way	TPH18BSS
20 way	TPH20BSS
25 way	TPH25BSS
40 way	TPH40BSS


## Dimensions (mm)



## RIGHT ANGLE


Type	Manf. Part No. & anglia Order Code
2 way	TPH02BSR
3 way	TPH03BSR
4 way	TPH04BSR
5 way	TPH05BSR
6 way	TPH06BSR
8 way	TPH08BSR
10 way	TPH10BSR
12 way	TPH12BSR
20 way	TPH20BSR
25 way	TPH25BSR
40 way	TPH40BSR

## Dimensions (mm)



## DOUBLE ROW


Choice of 2 to 40 ways (4 to 80 pins) in both straight and r/angle.



## STRAIGHT

Type	Manf. Part No. & anglia Order Code
2 way	TPH02BDS
3 way	TPH03BDS
4 way	TPH04BDS
5 way	TPH05BDS
6 way	TPH06BDS
8 way	TPH08BDS
10 way	TPH10BDS
12 way	TPH12BDS
20 way	TPH20BDS
25 way	TPH25BDS
40 way	TPH40BDS


## Dimensions (mm)



## RIGHT ANGLE

Type	Manf. Part No. & anglia Order Code
2 way	TPH02BDR
3 way	TPH03BDR
4 way	TPH04BDR
5 way	TPH05BDR
6 way	TPH06BDR
8 way	TPH08BDR
10 way	TPH10BDR
12 way	TPH12BDR
20 way	TPH20BDR
25 way	TPH25BDR
40 way	TPH40BDR

## Dimensions (mm)




Other ways available to special order

## Surface Mount

A range of straight, surface mounting sockets on a 2.0mm pitch available in single and double row.

## SINGLE ROW

Choice of 2 to 40 ways.




Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	<b>TFH02BSSNB</b>
3 way	<b>TFH03BSSNB</b>
4 way	<b>TFH04BSSNB</b>
5 way	<b>TFH05BSSNB</b>
6 way	<b>TFH06BSSNB</b>
7 way	<b>TFH07BSSNB</b>
8 way	<b>TFH08BSSNB</b>
9 way	<b>TFH09BSSNB</b>
10 way	<b>TFH10BSSNB</b>
11 way	<b>TFH11BSSNB</b>
12 way	<b>TFH12BSSNB</b>
13 way	<b>TFH13BSSNB</b>
14 way	<b>TFH14BSSNB</b>
15 way	<b>TFH15BSSNB</b>
16 way	<b>TFH16BSSNB</b>
17 way	<b>TFH17BSSNB</b>
18 way	<b>TFH18BSSNB</b>
19 way	<b>TFH19BSSNB</b>
20 way	<b>TFH20BSSNB</b>

Type	Manf. Part No. & anglia Order Code
STRAIGHT	
21 way	<b>TFH21BSSNB</b>
22 way	<b>TFH22BSSNB</b>
23 way	<b>TFH23BSSNB</b>
24 way	<b>TFH24BSSNB</b>
25 way	<b>TFH25BSSNB</b>
26 way	<b>TFH26BSSNB</b>
27 way	<b>TFH27BSSNB</b>
28 way	<b>TFH28BSSNB</b>
29 way	<b>TFH29BSSNB</b>
30 way	<b>TFH30BSSNB</b>
31 way	<b>TFH31BSSNB</b>
32 way	<b>TFH32BSSNB</b>
33 way	<b>TFH33BSSNB</b>
34 way	<b>TFH34BSSNB</b>
35 way	<b>TFH35BSSNB</b>
36 way	<b>TFH36BSSNB</b>
37 way	<b>TFH37BSSNB</b>
38 way	<b>TFH38BSSNB</b>
39 way	<b>TFH39BSSNB</b>
40 way	<b>TFH40BSSNB</b>



## DOUBLE ROW

Choice of 4 to 40 ways (8 to 80 contacts).




Type	Manf. Part No. & anglia Order Code	Type	Manf. Part No. & anglia Order Code
STRAIGHT		STRAIGHT	
3 way	<b>TFH03BDSSM</b>	3 way	<b>TFH21BDSSM</b>
4 way	<b>TFH04BDSSM</b>	4 way	<b>TFH22BDSSM</b>
5 way	<b>TFH05BDSSM</b>	5 way	<b>TFH23BDSSM</b>
6 way	<b>TFH06BDSSM</b>	6 way	<b>TFH24BDSSM</b>
7 way	<b>TFH07BDSSM</b>	7 way	<b>TFH25BDSSM</b>
8 way	<b>TFH08BDSSM</b>	8 way	<b>TFH26BDSSM</b>
9 way	<b>TFH09BDSSM</b>	9 way	<b>TFH27BDSSM</b>
10 way	<b>TFH10BDSSM</b>	10 way	<b>TFH28BDSSM</b>
11 way	<b>TFH11BDSSM</b>	11 way	<b>TFH29BDSSM</b>
12 way	<b>TFH12BDSSM</b>	12 way	<b>TFH30BDSSM</b>
13 way	<b>TFH13BDSSM</b>	13 way	<b>TFH31BDSSM</b>
14 way	<b>TFH14BDSSM</b>	14 way	<b>TFH32BDSSM</b>
15 way	<b>TFH15BDSSM</b>	15 way	<b>TFH33BDSSM</b>
16 way	<b>TFH16BDSSM</b>	16 way	<b>TFH34BDSSM</b>
17 way	<b>TFH17BDSSM</b>	17 way	<b>TFH35BDSSM</b>
18 way	<b>TFH18BDSSM</b>	18 way	<b>TFH36BDSSM</b>
19 way	<b>TFH19BDSSM</b>	19 way	<b>TFH37BDSSM</b>
20 way	<b>TFH20BDSSM</b>	20 way	<b>TFH38BDSSM</b>
			<b>TFH39BDSSM</b>
			<b>TFH40BDSSM</b>


## Dimensions (mm)




## Pad Pattern



## Dimensions (mm)



## Pad Pattern




**Through Hole****SOCKETS**


A range of straight, through hole mounting sockets on a 2.0mm pitch available in single and double row.

**SINGLE ROW**

Choice of 3 to 40 ways.



**DOUBLE ROW**

Choice of 3 to 40 ways (6 to 80 contacts).




Type	Manf. Part No. & anglia Order Code	Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>		<b>STRAIGHT</b>	
3 way	<b>TFH03BSS</b>	21 way	<b>TFH21BSS</b>
4 way	<b>TFH04BSS</b>	22 way	<b>TFH22BSS</b>
5 way	<b>TFH05BSS</b>	23 way	<b>TFH23BSS</b>
6 way	<b>TFH06BSS</b>	24 way	<b>TFH24BSS</b>
7 way	<b>TFH07BSS</b>	25 way	<b>TFH25BSS</b>
8 way	<b>TFH08BSS</b>	26 way	<b>TFH26BSS</b>
9 way	<b>TFH09BSS</b>	27 way	<b>TFH27BSS</b>
10 way	<b>TFH10BSS</b>	28 way	<b>TFH28BSS</b>
11 way	<b>TFH11BSS</b>	29 way	<b>TFH29BSS</b>
12 way	<b>TFH12BSS</b>	30 way	<b>TFH30BSS</b>
13 way	<b>TFH13BSS</b>	31 way	<b>TFH31BSS</b>
14 way	<b>TFH14BSS</b>	32 way	<b>TFH32BSS</b>
15 way	<b>TFH15BSS</b>	33 way	<b>TFH33BSS</b>
16 way	<b>TFH16BSS</b>	34 way	<b>TFH34BSS</b>
17 way	<b>TFH17BSS</b>	35 way	<b>TFH35BSS</b>
18 way	<b>TFH18BSS</b>	36 way	<b>TFH36BSS</b>
19 way	<b>TFH19BSS</b>	37 way	<b>TFH37BSS</b>
20 way	<b>TFH20BSS</b>	38 way	<b>TFH38BSS</b>
		39 way	<b>TFH39BSS</b>
		40 way	<b>TFH40BSS</b>

Type	Manf. Part No. & anglia Order Code	Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>		<b>STRAIGHT</b>	
3 way	<b>TFH03BDS</b>	21 way	<b>TFH21BDS</b>
4 way	<b>TFH04BDS</b>	22 way	<b>TFH22BDS</b>
5 way	<b>TFH05BDS</b>	23 way	<b>TFH23BDS</b>
6 way	<b>TFH06BDS</b>	24 way	<b>TFH24BDS</b>
7 way	<b>TFH07BDS</b>	25 way	<b>TFH25BDS</b>
8 way	<b>TFH08BDS</b>	26 way	<b>TPH26BDS</b>
9 way	<b>TFH09BDS</b>	27 way	<b>TPH27BDS</b>
10 way	<b>TFH10BDS</b>	28 way	<b>TPH28BDS</b>
11 way	<b>TFH11BDS</b>	29 way	<b>TPH29BDS</b>
12 way	<b>TFH12BDS</b>	30 way	<b>TPH30BDS</b>
13 way	<b>TFH13BDS</b>	31 way	<b>TPH31BDS</b>
14 way	<b>TFH14BDS</b>	32 way	<b>TPH32BDS</b>
15 way	<b>TFH15BDS</b>	33 way	<b>TPH33BDS</b>
16 way	<b>TFH16BDS</b>	34 way	<b>TPH34BDS</b>
17 way	<b>TFH17BDS</b>	35 way	<b>TPH35BDS</b>
18 way	<b>TFH18BDS</b>	36 way	<b>TPH36BDS</b>
19 way	<b>TFH19BDS</b>	37 way	<b>TPH37BDS</b>
20 way	<b>TFH20BDS</b>	38 way	<b>TPH38BDS</b>
		39 way	<b>TPH39BDS</b>
		40 way	<b>TPH40BDS</b>


**Dimensions (mm)****Dimensions (mm)****MINI JUMPER LINKS**

2.0mm pitch shorting links for use with the surface mount and through hole 0.5mm square pin headers shown on the previous pages. Contacts gold over nickel plated for higher reliability. Choice of open or closed type. Colour black. End and side stackable.


**OPEN TYPE**

Allows test probe access.

Manf. Part No. & anglia Order Code
<b>TMJ00B</b>

**Dimensions (mm)**

Manf. Part No. & anglia Order Code
<b>TMJ00BC</b>

**CLOSED TYPE**


Fully covered link.

## Through Hole

A range of right angle, through hole mounting sockets on a 2.0mm pitch available in single and double row.


## SINGLE ROW

Choice of 2 to 40 ways.



## DOUBLE ROW

Choice of 2 to 40 ways (4 to 80 contacts).




Type	Manf. Part No. & anglia Order Code
RIGHT ANGLE	
2 way	<b>TFH02BSR</b>
3 way	<b>TFH03BSR</b>
4 way	<b>TFH04BSR</b>
5 way	<b>TFH05BSR</b>
6 way	<b>TFH06BSR</b>
7 way	<b>TFH07BSR</b>
8 way	<b>TFH08BSR</b>
9 way	<b>TFH09BSR</b>
10 way	<b>TFH10BSR</b>
11 way	<b>TFH11BSR</b>
12 way	<b>TFH12BSR</b>
13 way	<b>TFH13BSR</b>
14 way	<b>TFH14BSR</b>
15 way	<b>TFH15BSR</b>
16 way	<b>TFH16BSR</b>
17 way	<b>TFH17BSR</b>
18 way	<b>TFH18BSR</b>
19 way	<b>TFH19BSR</b>
20 way	<b>TFH20BSR</b>



Type	Manf. Part No. & anglia Order Code
RIGHT ANGLE	
21 way	<b>TFH21BSR</b>
22 way	<b>TFH22BSR</b>
23 way	<b>TFH23BSR</b>
24 way	<b>TFH24BSR</b>
25 way	<b>TFH25BSR</b>
26 way	<b>TFH26BSR</b>
27 way	<b>TFH27BSR</b>
28 way	<b>TFH28BSR</b>
29 way	<b>TFH29BSR</b>
30 way	<b>TFH30BSR</b>
31 way	<b>TFH31BSR</b>
32 way	<b>TFH32BSR</b>
33 way	<b>TFH33BSR</b>
34 way	<b>TFH34BSR</b>
35 way	<b>TFH35BSR</b>
36 way	<b>TFH36BSR</b>
37 way	<b>TFH37BSR</b>
38 way	<b>TFH38BSR</b>
39 way	<b>TFH39BSR</b>
40 way	<b>TFH40BSR</b>

Type	Manf. Part No. & anglia Order Code
RIGHT ANGLE	
2 way	<b>TFH02BDR</b>
3 way	<b>TFH03BDR</b>
4 way	<b>TFH04BDR</b>
5 way	<b>TFH05BDR</b>
6 way	<b>TFH06BDR</b>
7 way	<b>TFH07BDR</b>
8 way	<b>TFH08BDR</b>
9 way	<b>TFH09BDR</b>
10 way	<b>TFH10BDR</b>
11 way	<b>TFH11BDR</b>
12 way	<b>TFH12BDR</b>
13 way	<b>TFH13BDR</b>
14 way	<b>TFH14BDR</b>
15 way	<b>TFH15BDR</b>
16 way	<b>TFH16BDR</b>
17 way	<b>TFH17BDR</b>
18 way	<b>TFH18BDR</b>
19 way	<b>TFH19BDR</b>
20 way	<b>TFH20BDR</b>



## Dimensions (mm)





Hole Pattern



## Dimensions (mm)



Hole Pattern



**TAICOM**

For the very latest information and news on the full range of TAICOM products available from Anglia, visit our website :

[www.anglia.com/taicom](http://www.anglia.com/taicom)

Alternatively, contact our Sales Desk to discuss your specific requirements.

**Surface Mount**

A range of straight, surface mounting pin headers on a 2.54mm pitch available in single and double row.

**SINGLE ROW**


Choice of 2 to 40 ways.





Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TPH02SSNB
3 way	TPH03SSNB
4 way	TPH04SSNB
5 way	TPH05SSNB
6 way	TPH06SSNB
7 way	TPH07SSNB
8 way	TPH08SSNB
9 way	TPH09SSNB
10 way	TPH10SSNB
11 way	TPH11SSNB
12 way	TPH12SSNB
13 way	TPH13SSNB
14 way	TPH14SSNB
15 way	TPH15SSNB
16 way	TPH16SSNB
17 way	TPH17SSNB
18 way	TPH18SSNB
19 way	TPH19SSNB
20 way	TPH20SSNB
21 way	TPH21SSNB
22 way	TPH22SSNB
23 way	TPH23SSNB
24 way	TPH24SSNB
25 way	TPH25SSNB
26 way	TPH26SSNB
27 way	TPH27SSNB
28 way	TPH28SSNB
29 way	TPH29SSNB
30 way	TPH30SSNB
31 way	TPH31SSNB
32 way	TPH32SSNB
33 way	TPH33SSNB
34 way	TPH34SSNB
35 way	TPH35SSNB
36 way	TPH36SSNB
37 way	TPH37SSNB
38 way	TPH38SSNB
39 way	TPH39SSNB
40 way	TPH40SSNB

**DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins).



Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TPH02DSNB
3 way	TPH03DSNB
4 way	TPH04DSNB
5 way	TPH05DSNB
6 way	TPH06DSNB
7 way	TPH07DSNB
8 way	TPH08DSNB
9 way	TPH09DSNB
10 way	TPH10DSNB
11 way	TPH11DSNB
12 way	TPH12DSNB
13 way	TPH13DSNB
14 way	TPH14DSNB
15 way	TPH15DSNB
16 way	TPH16DSNB
17 way	TPH17DSNB
18 way	TPH18DSNB
19 way	TPH19DSNB
20 way	TPH20DSNB
21 way	TPH21DSNB
22 way	TPH22DSNB
23 way	TPH23DSNB
24 way	TPH24DSNB
25 way	TPH25DSNB
26 way	TPH26DSNB
27 way	TPH27DSNB
28 way	TPH28DSNB
29 way	TPH29DSNB
30 way	TPH30DSNB
31 way	TPH31DSNB
32 way	TPH32DSNB
33 way	TPH33DSNB
34 way	TPH34DSNB
35 way	TPH35DSNB
36 way	TPH36DSNB
37 way	TPH37DSNB
38 way	TPH38DSNB
39 way	TPH39DSNB
40 way	TPH40DSNB


**Dimensions (mm)****Dimensions (mm)**

**Through Hole**


A range of straight, through hole mounting pin headers on a 2.54mm pitch available in single and double row.

**SINGLE ROW**


Choice of 2 to 40 ways.




Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	TPH02SS
3 way	TPH03SS
4 way	TPH04SS
5 way	TPH05SS
6 way	TPH06SS
7 way	TPH07SS
8 way	TPH08SS
9 way	TPH09SS
10 way	TPH10SS
11 way	TPH11SS
12 way	TPH12SS
13 way	TPH13SS
14 way	TPH14SS
15 way	TPH15SS
16 way	TPH16SS
17 way	TPH17SS
18 way	TPH18SS
19 way	TPH19SS
20 way	TPH20SS
21 way	TPH21SS
22 way	TPH22SS
23 way	TPH23SS
24 way	TPH24SS
25 way	TPH25SS
26 way	TPH26SS
27 way	TPH27SS
28 way	TPH28SS
29 way	TPH29SS
30 way	TPH30SS
31 way	TPH31SS
32 way	TPH32SS
33 way	TPH33SS
34 way	TPH34SS
35 way	TPH35SS
36 way	TPH36SS
37 way	TPH37SS
38 way	TPH38SS
39 way	TPH39SS
40 way	TPH40SS

**Dimensions (mm)****DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins).



Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	TPH02DS
3 way	TPH03DS
4 way	TPH04DS
5 way	TPH05DS
6 way	TPH06DS
7 way	TPH07DS
8 way	TPH08DS
9 way	TPH09DS
10 way	TPH10DS
11 way	TPH11DS
12 way	TPH12DS
13 way	TPH13DS
14 way	TPH14DS
15 way	TPH15DS
16 way	TPH16DS
17 way	TPH17DS
18 way	TPH18DS
19 way	TPH19DS
20 way	TPH20DS
21 way	TPH21DS
22 way	TPH22DS
23 way	TPH23DS
24 way	TPH24DS
25 way	TPH25DS
26 way	TPH26DS
27 way	TPH27DS
28 way	TPH28DS
29 way	TPH29DS
30 way	TPH30DS
31 way	TPH31DS
32 way	TPH32DS
33 way	TPH33DS
34 way	TPH34DS
35 way	TPH35DS
36 way	TPH36DS
37 way	TPH37DS
38 way	TPH38DS
39 way	TPH39DS
40 way	TPH40DS


**Dimensions (mm)**

**Through Hole**


A range of right angle, through hole mounting pin headers on a 2.54mm pitch available in single and double row.

**SINGLE ROW**

Choice of 2 to 40 ways with option of flush or standard pin position.

**DOUBLE ROW**


Choice of 2 to 40 ways (4 to 80 pins).




Type	Manf. Part No. & anglia Order Code	Type	Manf. Part No. & anglia Order Code
R/ANGLE (Flush)	<b>TPH02SRF</b>	R/ANGLE (Std)	<b>TPH02SR</b>
2 way	<b>TPH03SRF</b>	3 way	<b>TPH03SR</b>
3 way	<b>TPH04SRF</b>	4 way	<b>TPH04SR</b>
4 way	<b>TPH05SRF</b>	5 way	<b>TPH05SR</b>
5 way	<b>TPH06SRF</b>	6 way	<b>TPH06SR</b>
6 way	<b>TPH07SRF</b>	7 way	<b>TPH07SR</b>
7 way	<b>TPH08SRF</b>	8 way	<b>TPH08SR</b>
8 way	<b>TPH09SRF</b>	9 way	<b>TPH09SR</b>
9 way	<b>TPH10SRF</b>	10 way	<b>TPH10SR</b>
10 way	<b>TPH11SRF</b>	11 way	<b>TPH11SR</b>
11 way	<b>TPH12SRF</b>	12 way	<b>TPH12SR</b>
12 way	<b>TPH13SRF</b>	13 way	<b>TPH13SR</b>
13 way	<b>TPH14SRF</b>	14 way	<b>TPH14SR</b>
14 way	<b>TPH15SRF</b>	15 way	<b>TPH15SR</b>
15 way	<b>TPH16SRF</b>	16 way	<b>TPH16SR</b>
16 way	<b>TPH17SRF</b>	17 way	<b>TPH17SR</b>
17 way	<b>TPH18SRF</b>	18 way	<b>TPH18SR</b>
18 way	<b>TPH19SRF</b>	19 way	<b>TPH19SR</b>
19 way	<b>TPH20SRF</b>	20 way	<b>TPH20SR</b>
20 way	<b>TPH21SRF</b>	21 way	<b>TPH21SR</b>
21 way	<b>TPH22SRF</b>	22 way	<b>TPH22SR</b>
22 way	<b>TPH23SRF</b>	23 way	<b>TPH23SR</b>
23 way	<b>TPH24SRF</b>	24 way	<b>TPH24SR</b>
24 way	<b>TPH25SRF</b>	25 way	<b>TPH25SR</b>
25 way	<b>TPH26SRF</b>	26 way	<b>TPH26SR</b>
26 way	<b>TPH27SRF</b>	27 way	<b>TPH27SR</b>
27 way	<b>TPH28SRF</b>	28 way	<b>TPH28SR</b>
28 way	<b>TPH29SRF</b>	29 way	<b>TPH29SR</b>
29 way	<b>TPH30SRF</b>	30 way	<b>TPH30SR</b>
30 way	<b>TPH31SRF</b>	31 way	<b>TPH31SR</b>
31 way	<b>TPH32SRF</b>	32 way	<b>TPH32SR</b>
32 way	<b>TPH33SRF</b>	33 way	<b>TPH33SR</b>
33 way	<b>TPH34SRF</b>	34 way	<b>TPH34SR</b>
34 way	<b>TPH35SRF</b>	35 way	<b>TPH35SR</b>
35 way	<b>TPH36SRF</b>	36 way	<b>TPH36SR</b>
36 way	<b>TPH37SRF</b>	37 way	<b>TPH37SR</b>
37 way	<b>TPH38SRF</b>	38 way	<b>TPH38SR</b>
38 way	<b>TPH39SRF</b>	39 way	<b>TPH39SR</b>
39 way	<b>TPH40SRF</b>	40 way	<b>TPH40SR</b>

Type	Manf. Part No. & anglia Order Code
RIGHT ANGLE	<b>TPH02DR</b>
2 way	<b>TPH03DR</b>
3 way	<b>TPH04DR</b>
4 way	<b>TPH05DR</b>
5 way	<b>TPH06DR</b>
6 way	<b>TPH07DR</b>
7 way	<b>TPH08DR</b>
8 way	<b>TPH09DR</b>
9 way	<b>TPH10DR</b>
10 way	<b>TPH11DR</b>
11 way	<b>TPH12DR</b>
12 way	<b>TPH13DR</b>
13 way	<b>TPH14DR</b>
14 way	<b>TPH15DR</b>
15 way	<b>TPH16DR</b>
16 way	<b>TPH17DR</b>
17 way	<b>TPH18DR</b>
18 way	<b>TPH19DR</b>
19 way	<b>TPH20DR</b>
20 way	<b>TPH21DR</b>
21 way	<b>TPH22DR</b>
22 way	<b>TPH23DR</b>
23 way	<b>TPH24DR</b>
24 way	<b>TPH25DR</b>
25 way	<b>TPH26DR</b>
26 way	<b>TPH27DR</b>
27 way	<b>TPH28DR</b>
28 way	<b>TPH29DR</b>
29 way	<b>TPH30DR</b>
30 way	<b>TPH31DR</b>
31 way	<b>TPH32DR</b>
32 way	<b>TPH33DR</b>
33 way	<b>TPH34DR</b>
34 way	<b>TPH35DR</b>
35 way	<b>TPH36DR</b>
36 way	<b>TPH37DR</b>
37 way	<b>TPH38DR</b>
38 way	<b>TPH39DR</b>
39 way	<b>TPH40DR</b>

## Dimensions (mm)



## Dimensions (mm)




**Surface Mount**

A range of straight, surface mounting sockets on a 2.54mm pitch available in single and double row.

**SINGLE ROW**


Choice of 2 to 40 ways.





Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	<b>TFH02SSNB</b>
3 way	<b>TFH03SSNB</b>
4 way	<b>TFH04SSNB</b>
5 way	<b>TFH05SSNB</b>
6 way	<b>TFH06SSNB</b>
7 way	<b>TFH07SSNB</b>
8 way	<b>TFH08SSNB</b>
9 way	<b>TFH09SSNB</b>
10 way	<b>TFH10SSNB</b>
11 way	<b>TFH11SSNB</b>
12 way	<b>TFH12SSNB</b>
13 way	<b>TFH13SSNB</b>
14 way	<b>TFH14SSNB</b>
15 way	<b>TFH15SSNB</b>
16 way	<b>TFH16SSNB</b>
17 way	<b>TFH17SSNB</b>
18 way	<b>TFH18SSNB</b>
19 way	<b>TFH19SSNB</b>
20 way	<b>TFH20SSNB</b>
21 way	<b>TFH21SSNB</b>
22 way	<b>TFH22SSNB</b>
23 way	<b>TFH23SSNB</b>
24 way	<b>TFH24SSNB</b>
25 way	<b>TFH25SSNB</b>
26 way	<b>TFH26SSNB</b>
27 way	<b>TFH27SSNB</b>
28 way	<b>TFH28SSNB</b>
29 way	<b>TFH29SSNB</b>
30 way	<b>TFH30SSNB</b>
31 way	<b>TFH31SSNB</b>
32 way	<b>TFH32SSNB</b>
33 way	<b>TFH33SSNB</b>
34 way	<b>TFH34SSNB</b>
35 way	<b>TFH35SSNB</b>
36 way	<b>TFH36SSNB</b>
37 way	<b>TFH37SSNB</b>
38 way	<b>TFH38SSNB</b>
39 way	<b>TFH39SSNB</b>
40 way	<b>TFH40SSNB</b>

**DOUBLE ROW**




Choice of 2 to 40 ways (4 to 80 contacts).





Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	<b>TFH02DSNB</b>
3 way	<b>TFH03DSNB</b>
4 way	<b>TFH04DSNB</b>
5 way	<b>TFH05DSNB</b>
6 way	<b>TFH06DSNB</b>
7 way	<b>TFH07DSNB</b>
8 way	<b>TFH08DSNB</b>
9 way	<b>TFH09DSNB</b>
10 way	<b>TFH10DSNB</b>
11 way	<b>TFH11DSNB</b>
12 way	<b>TFH12DSNB</b>
13 way	<b>TFH13DSNB</b>
14 way	<b>TFH14DSNB</b>
15 way	<b>TFH15DSNB</b>
16 way	<b>TFH16DSNB</b>
17 way	<b>TFH17DSNB</b>
18 way	<b>TFH18DSNB</b>
19 way	<b>TFH19DSNB</b>
20 way	<b>TFH20DSNB</b>
21 way	<b>TFH21DSNB</b>
22 way	<b>TFH22DSNB</b>
23 way	<b>TFH23DSNB</b>
24 way	<b>TFH24DSNB</b>
25 way	<b>TFH25DSNB</b>
26 way	<b>TFH26DSNB</b>
27 way	<b>TFH27DSNB</b>
28 way	<b>TFH28DSNB</b>
29 way	<b>TFH29DSNB</b>
30 way	<b>TFH30DSNB</b>
31 way	<b>TFH31DSNB</b>
32 way	<b>TFH32DSNB</b>
33 way	<b>TFH33DSNB</b>
34 way	<b>TFH34DSNB</b>
35 way	<b>TFH35DSNB</b>
36 way	<b>TFH36DSNB</b>
37 way	<b>TFH37DSNB</b>
38 way	<b>TFH38DSNB</b>
39 way	<b>TFH39DSNB</b>
40 way	<b>TFH40DSNB</b>

**Dimensions (mm)**

Pad Pattern

**Dimensions (mm)**

Pad Pattern




**Through Hole**


A range of straight, through hole mounting sockets on a 2.54mm pitch available in single and double row.

**SINGLE ROW**


Choice of 2 to 40 ways.




Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TFH02SS
3 way	TFH03SS
4 way	TFH04SS
5 way	TFH05SS
6 way	TFH06SS
7 way	TFH07SS
8 way	TFH08SS
9 way	TFH09SS
10 way	TFH10SS
11 way	TFH11SS
12 way	TFH12SS
13 way	TFH13SS
14 way	TFH14SS
15 way	TFH15SS
16 way	TFH16SS
17 way	TFH17SS
18 way	TFH18SS
19 way	TFH19SS
20 way	TFH20SS
21 way	TFH21SS
22 way	TFH22SS
23 way	TFH23SS
24 way	TFH24SS
25 way	TFH25SS
26 way	TFH26SS
27 way	TFH27SS
28 way	TFH28SS
29 way	TFH29SS
30 way	TFH30SS
31 way	TFH31SS
32 way	TFH32SS
33 way	TFH33SS
34 way	TFH34SS
35 way	TFH35SS
36 way	TFH36SS
37 way	TFH37SS
38 way	TFH38SS
39 way	TFH39SS
40 way	TFH40SS

**Dimensions (mm)****DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 contacts).



Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TFH02DS
3 way	TFH03DS
4 way	TFH04DS
5 way	TFH05DS
6 way	TFH06DS
7 way	TFH07DS
8 way	TFH08DS
9 way	TFH09DS
10 way	TFH10DS
11 way	TFH11DS
12 way	TFH12DS
13 way	TFH13DS
14 way	TFH14DS
15 way	TFH15DS
16 way	TFH16DS
17 way	TFH17DS
18 way	TFH18DS
19 way	TFH19DS
20 way	TFH20DS
21 way	TFH21DS
22 way	TFH22DS
23 way	TFH23DS
24 way	TFH24DS
25 way	TFH25DS
26 way	TFH26DS
27 way	TFH27DS
28 way	TFH28DS
29 way	TFH29DS
30 way	TFH30DS
31 way	TFH31DS
32 way	TFH32DS
33 way	TFH33DS
34 way	TFH34DS
35 way	TFH35DS
36 way	TFH36DS
37 way	TFH37DS
38 way	TFH38DS
39 way	TFH39DS
40 way	TFH40DS


**Dimensions (mm)**

**Through Hole**


A range of right angle, through hole mounting sockets on a 2.54mm pitch available in single and double row.

**SINGLE ROW**


Choice of 2 to 40 ways.

**DOUBLE ROW**


Choice of 2 to 40 ways (4 to 80 contacts).



Type	Manf. Part No. & anglia Order Code
RIGHT ANGLE	
2 way	<b>TFH02SR</b>
3 way	<b>TFH03SR</b>
4 way	<b>TFH04SR</b>
5 way	<b>TFH05SR</b>
6 way	<b>TFH06SR</b>
7 way	<b>TFH07SR</b>
8 way	<b>TFH08SR</b>
9 way	<b>TFH09SR</b>
10 way	<b>TFH10SR</b>
11 way	<b>TFH11SR</b>
12 way	<b>TFH12SR</b>
13 way	<b>TFH13SR</b>
14 way	<b>TFH14SR</b>
15 way	<b>TFH15SR</b>
16 way	<b>TFH16SR</b>
17 way	<b>TFH17SR</b>
18 way	<b>TFH18SR</b>
19 way	<b>TFH19SR</b>
20 way	<b>TFH20SR</b>
21 way	<b>TFH21SR</b>
22 way	<b>TFH22SR</b>
23 way	<b>TFH23SR</b>
24 way	<b>TFH24SR</b>
25 way	<b>TFH25SR</b>
26 way	<b>TFH26SR</b>
27 way	<b>TFH27SR</b>
28 way	<b>TFH28SR</b>
29 way	<b>TFH29SR</b>
30 way	<b>TFH30SR</b>
31 way	<b>TFH31SR</b>
32 way	<b>TFH32SR</b>
33 way	<b>TFH33SR</b>
34 way	<b>TFH34SR</b>
35 way	<b>TFH35SR</b>
36 way	<b>TFH36SR</b>
37 way	<b>TFH37SR</b>
38 way	<b>TFH38SR</b>
39 way	<b>TFH39SR</b>
40 way	<b>TFH40SR</b>




**Dimensions (mm)**

Type	Manf. Part No. & anglia Order Code
RIGHT ANGLE	
3 way	<b>TFH03DR</b>
4 way	<b>TFH04DR</b>
5 way	<b>TFH05DR</b>
6 way	<b>TFH06DR</b>
7 way	<b>TFH07DR</b>
8 way	<b>TFH08DR</b>
9 way	<b>TFH09DR</b>
10 way	<b>TFH10DR</b>
11 way	<b>TFH11DR</b>
12 way	<b>TFH12DR</b>
13 way	<b>TFH13DR</b>
14 way	<b>TFH14DR</b>
15 way	<b>TFH15DR</b>
16 way	<b>TFH16DR</b>
17 way	<b>TFH17DR</b>
18 way	<b>TFH18DR</b>
19 way	<b>TFH19DR</b>
20 way	<b>TFH20DR</b>
21 way	<b>TFH21DR</b>
22 way	<b>TFH22DR</b>
23 way	<b>TFH23DR</b>
24 way	<b>TFH24DR</b>
25 way	<b>TFH25DR</b>
26 way	<b>TFH26DR</b>
27 way	<b>TFH27DR</b>
28 way	<b>TFH28DR</b>
29 way	<b>TFH29DR</b>
30 way	<b>TFH30DR</b>
31 way	<b>TFH31DR</b>
32 way	<b>TFH32DR</b>
33 way	<b>TFH33DR</b>
34 way	<b>TFH34DR</b>
35 way	<b>TFH35DR</b>
36 way	<b>TFH36DR</b>
37 way	<b>TFH37DR</b>
38 way	<b>TFH38DR</b>
39 way	<b>TFH39DR</b>
40 way	<b>TFH40DR</b>

**Dimensions (mm)**

**MINI JUMPER LINKS**

2.54mm pitch shorting links for use with the surface mount and through hole 0.64mm square pin headers shown on the previous pages. Contacts gold over nickel plated for higher reliability. Choice of type and colour with other colours available to special volume order. End and side stackable.

**Dimensions (mm)****Open type**

Allows test probe access.

Colour
Black
Red
Yellow
Green
Blue
White

Manf. Part No. & anglia Order Code
TMJ00
TMJ02
TMJ04
TMJ05
TMJ06
TMJ09

**Closed type**

Fully covered link.

Colour
Black
Red
Yellow
Green
Blue
White

Manf. Part No. & anglia Order Code
TMJ00C
TMJ02C
TMJ04C
TMJ05C
TMJ06C
TMJ09C

**With handle**


For easier removal. Test probe access.

Colour
Black
Red
Yellow
Green
Blue
White

Manf. Part No. & anglia Order Code
TMJ00H
TMJ02H
TMJ04H
TMJ05H
TMJ06H
TMJ09H

**EXTENDED PIN HEADERS**

The following pages (22 to 28) detail our wide range of extended pin headers that employ double insulators for board spacing applications. Available in a variety of pitches, the most popular lengths are listed for ordering. However, other lengths are available on request – please contact our Sales Desk to discuss your specific requirements.

**Index :**


1.27mm Pitch	Pages 22 to 23
1.27 x 2.54mm Pitch	Page 24
2.0mm Pitch	Pages 25 to 26
2.54mm Pitch	Pages 27 to 28

**Surface Mount**


A range of straight, surface mounting, extended pin headers on a 1.27mm pitch available in single and double row.

**SINGLE ROW**

Choice of 2 to 40 ways.




**DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins).



Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TPH02CSSNBZ</b>
3 way	<b>TPH03CSSNBZ</b>
4 way	<b>TPH04CSSNBZ</b>
5 way	<b>TPH05CSSNBZ</b>
6 way	<b>TPH06CSSNBZ</b>
7 way	<b>TPH07CSSNBZ</b>
8 way	<b>TPH08CSSNBZ</b>
9 way	<b>TPH09CSSNBZ</b>
10 way	<b>TPH10CSSNBZ</b>
11 way	<b>TPH11CSSNBZ</b>
12 way	<b>TPH12CSSNBZ</b>
13 way	<b>TPH13CSSNBZ</b>
14 way	<b>TPH14CSSNBZ</b>
15 way	<b>TPH15CSSNBZ</b>
16 way	<b>TPH16CSSNBZ</b>
17 way	<b>TPH17CSSNBZ</b>
18 way	<b>TPH18CSSNBZ</b>
19 way	<b>TPH19CSSNBZ</b>
20 way	<b>TPH20CSSNBZ</b>
21 way	<b>TPH21CSSNBZ</b>
22 way	<b>TPH22CSSNBZ</b>
23 way	<b>TPH23CSSNBZ</b>
24 way	<b>TPH24CSSNBZ</b>
25 way	<b>TPH25CSSNBZ</b>
26 way	<b>TPH26CSSNBZ</b>
27 way	<b>TPH27CSSNBZ</b>
28 way	<b>TPH28CSSNBZ</b>
29 way	<b>TPH29CSSNBZ</b>
30 way	<b>TPH30CSSNBZ</b>
31 way	<b>TPH31CSSNBZ</b>
32 way	<b>TPH32CSSNBZ</b>
33 way	<b>TPH33CSSNBZ</b>
34 way	<b>TPH34CSSNBZ</b>
35 way	<b>TPH35CSSNBZ</b>
36 way	<b>TPH36CSSNBZ</b>
37 way	<b>TPH37CSSNBZ</b>
38 way	<b>TPH38CSSNBZ</b>
39 way	<b>TPH39CSSNBZ</b>
40 way	<b>TPH40CSSNBZ</b>

Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TPH02CDSNBZ</b>
3 way	<b>TPH03CDSNBZ</b>
4 way	<b>TPH04CDSNBZ</b>
5 way	<b>TPH05CDSNBZ</b>
6 way	<b>TPH06CDSNBZ</b>
7 way	<b>TPH07CDSNBZ</b>
8 way	<b>TPH08CDSNBZ</b>
9 way	<b>TPH09CDSNBZ</b>
10 way	<b>TPH10CDSNBZ</b>
11 way	<b>TPH11CDSNBZ</b>
12 way	<b>TPH12CDSNBZ</b>
13 way	<b>TPH13CDSNBZ</b>
14 way	<b>TPH14CDSNBZ</b>
15 way	<b>TPH15CDSNBZ</b>
16 way	<b>TPH16CDSNBZ</b>
17 way	<b>TPH17CDSNBZ</b>
18 way	<b>TPH18CDSNBZ</b>
19 way	<b>TPH19CDSNBZ</b>
20 way	<b>TPH20CDSNBZ</b>
21 way	<b>TPH21CDSNBZ</b>
22 way	<b>TPH22CDSNBZ</b>
23 way	<b>TPH23CDSNBZ</b>
24 way	<b>TPH24CDSNBZ</b>
25 way	<b>TPH25CDSNBZ</b>
26 way	<b>TPH26CDSNBZ</b>
27 way	<b>TPH27CDSNBZ</b>
28 way	<b>TPH28CDSNBZ</b>
29 way	<b>TPH29CDSNBZ</b>
30 way	<b>TPH30CDSNBZ</b>
31 way	<b>TPH31CDSNBZ</b>
32 way	<b>TPH32CDSNBZ</b>
33 way	<b>TPH33CDSNBZ</b>
34 way	<b>TPH34CDSNBZ</b>
35 way	<b>TPH35CDSNBZ</b>
36 way	<b>TPH36CDSNBZ</b>
37 way	<b>TPH37CDSNBZ</b>
38 way	<b>TPH38CDSNBZ</b>
39 way	<b>TPH39CDSNBZ</b>
40 way	<b>TPH40CDSNBZ</b>


**Dimensions (mm)****Pad Pattern****Dimensions (mm)****Pad Pattern**

**Through Hole**

A range of straight, through hole mounting, extended pin headers on a 1.27mm pitch available in single and double row.

**SINGLE ROW**


Choice of 2 to 40 ways.







Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TPH02CSSZ
3 way	TPH03CSSZ
4 way	TPH04CSSZ
5 way	TPH05CSSZ
6 way	TPH06CSSZ
7 way	TPH07CSSZ
8 way	TPH08CSSZ
9 way	TPH09CSSZ
10 way	TPH10CSSZ
11 way	TPH11CSSZ
12 way	TPH12CSSZ
13 way	TPH13CSSZ
14 way	TPH14CSSZ
15 way	TPH15CSSZ
16 way	TPH16CSSZ
17 way	TPH17CSSZ
18 way	TPH18CSSZ
19 way	TPH19CSSZ
20 way	TPH20CSSZ
21 way	TPH21CSSZ
22 way	TPH22CSSZ
23 way	TPH23CSSZ
24 way	TPH24CSSZ
25 way	TPH25CSSZ
26 way	TPH26CSSZ
27 way	TPH27CSSZ
28 way	TPH28CSSZ
29 way	TPH29CSSZ
30 way	TPH30CSSZ
31 way	TPH31CSSZ
32 way	TPH32CSSZ
33 way	TPH33CSSZ
34 way	TPH34CSSZ
35 way	TPH35CSSZ
36 way	TPH36CSSZ
37 way	TPH37CSSZ
38 way	TPH38CSSZ
39 way	TPH39CSSZ
40 way	TPH40CSSZ

**DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins).



Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TPH02CDSZ
3 way	TPH03CDSZ
4 way	TPH04CDSZ
5 way	TPH05CDSZ
6 way	TPH06CDSZ
7 way	TPH07CDSZ
8 way	TPH08CDSZ
9 way	TPH09CDSZ
10 way	TPH10CDSZ
11 way	TPH11CDSZ
12 way	TPH12CDSZ
13 way	TPH13CDSZ
14 way	TPH14CDSZ
15 way	TPH15CDSZ
16 way	TPH16CDSZ
17 way	TPH17CDSZ
18 way	TPH18CDSZ
19 way	TPH19CDSZ
20 way	TPH20CDSZ
21 way	TPH21CDSZ
22 way	TPH22CDSZ
23 way	TPH23CDSZ
24 way	TPH24CDSZ
25 way	TPH25CDSZ
26 way	TPH26CDSZ
27 way	TPH27CDSZ
28 way	TPH28CDSZ
29 way	TPH29CDSZ
30 way	TPH30CDSZ
31 way	TPH31CDSZ
32 way	TPH32CDSZ
33 way	TPH33CDSZ
34 way	TPH34CDSZ
35 way	TPH35CDSZ
36 way	TPH36CDSZ
37 way	TPH37CDSZ
38 way	TPH38CDSZ
39 way	TPH39CDSZ
40 way	TPH40CDSZ

**Dimensions (mm)****Hole Pattern****Dimensions (mm)****Hole Pattern**


A range of double row, straight, extended pin headers on a 1.27 x 2.54mm pitch available in surface and through hole mounting.

**Surface Mount**
**DOUBLE ROW**


Choice of 2 to 40 ways.


**Through Hole**
**DOUBLE ROW**


Choice of 2 to 40 ways (4 to 80 pins).



Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	<b>TPH02EDSNBZ</b>
3 way	<b>TPH03EDSNBZ</b>
4 way	<b>TPH04EDSNBZ</b>
5 way	<b>TPH05EDSNBZ</b>
6 way	<b>TPH06EDSNBZ</b>
7 way	<b>TPH07EDSNBZ</b>
8 way	<b>TPH08EDSNBZ</b>
9 way	<b>TPH09EDSNBZ</b>
10 way	<b>TPH10EDSNBZ</b>
11 way	<b>TPH11EDSNBZ</b>
12 way	<b>TPH12EDSNBZ</b>
13 way	<b>TPH13EDSNBZ</b>
14 way	<b>TPH14EDSNBZ</b>
15 way	<b>TPH15EDSNBZ</b>
16 way	<b>TPH16EDSNBZ</b>
17 way	<b>TPH17EDSNBZ</b>
18 way	<b>TPH18EDSNBZ</b>
19 way	<b>TPH19EDSNBZ</b>
20 way	<b>TPH20EDSNBZ</b>
21 way	<b>TPH21EDSNBZ</b>
22 way	<b>TPH22EDSNBZ</b>
23 way	<b>TPH23EDSNBZ</b>
24 way	<b>TPH24EDSNBZ</b>
25 way	<b>TPH25EDSNBZ</b>
26 way	<b>TPH26EDSNBZ</b>
27 way	<b>TPH27EDSNBZ</b>
28 way	<b>TPH28EDSNBZ</b>
29 way	<b>TPH29EDSNBZ</b>
30 way	<b>TPH30EDSNBZ</b>
31 way	<b>TPH31EDSNBZ</b>
32 way	<b>TPH32EDSNBZ</b>
33 way	<b>TPH33EDSNBZ</b>
34 way	<b>TPH34EDSNBZ</b>
35 way	<b>TPH35EDSNBZ</b>
36 way	<b>TPH36EDSNBZ</b>
37 way	<b>TPH37EDSNBZ</b>
38 way	<b>TPH38EDSNBZ</b>
39 way	<b>TPH39EDSNBZ</b>
40 way	<b>TPH40EDSNBZ</b>

**Dimensions (mm)**


Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	<b>TPH02EDSZ</b>
3 way	<b>TPH03EDSZ</b>
4 way	<b>TPH04EDSZ</b>
5 way	<b>TPH05EDSZ</b>
6 way	<b>TPH06EDSZ</b>
7 way	<b>TPH07EDSZ</b>
8 way	<b>TPH08EDSZ</b>
9 way	<b>TPH09EDSZ</b>
10 way	<b>TPH10EDSZ</b>
11 way	<b>TPH11EDSZ</b>
12 way	<b>TPH12EDSZ</b>
13 way	<b>TPH13EDSZ</b>
14 way	<b>TPH14EDSZ</b>
15 way	<b>TPH15EDSZ</b>
16 way	<b>TPH16EDSZ</b>
17 way	<b>TPH17EDSZ</b>
18 way	<b>TPH18EDSZ</b>
19 way	<b>TPH19EDSZ</b>
20 way	<b>TPH20EDSZ</b>
21 way	<b>TPH21EDSZ</b>
22 way	<b>TPH22EDSZ</b>
23 way	<b>TPH23EDSZ</b>
24 way	<b>TPH24EDSZ</b>
25 way	<b>TPH25EDSZ</b>
26 way	<b>TPH26EDSZ</b>
27 way	<b>TPH27EDSZ</b>
28 way	<b>TPH28EDSZ</b>
29 way	<b>TPH29EDSZ</b>
30 way	<b>TPH30EDSZ</b>
31 way	<b>TPH31EDSZ</b>
32 way	<b>TPH32EDSZ</b>
33 way	<b>TPH33EDSZ</b>
34 way	<b>TPH34EDSZ</b>
35 way	<b>TPH35EDSZ</b>
36 way	<b>TPH36EDSZ</b>
37 way	<b>TPH37EDSZ</b>
38 way	<b>TPH38EDSZ</b>
39 way	<b>TPH39EDSZ</b>
40 way	<b>TPH40EDSZ</b>


**Dimensions (mm)**


**Surface Mount**




A range of straight, surface mounting, extended pin headers on a 2.0mm pitch available in single and double row.

**SINGLE ROW**

Choice of 2 to 40 ways.



Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TPH02BSSNBZ</b>
3 way	<b>TPH03BSSNBZ</b>
4 way	<b>TPH04BSSNBZ</b>
5 way	<b>TPH05BSSNBZ</b>
6 way	<b>TPH06BSSNBZ</b>
7 way	<b>TPH07BSSNBZ</b>
8 way	<b>TPH08BSSNBZ</b>
9 way	<b>TPH09BSSNBZ</b>
10 way	<b>TPH10BSSNBZ</b>
11 way	<b>TPH11BSSNBZ</b>
12 way	<b>TPH12BSSNBZ</b>
13 way	<b>TPH13BSSNBZ</b>
14 way	<b>TPH14BSSNBZ</b>
15 way	<b>TPH15BSSNBZ</b>
16 way	<b>TPH16BSSNBZ</b>
17 way	<b>TPH17BSSNBZ</b>
18 way	<b>TPH18BSSNBZ</b>
19 way	<b>TPH19BSSNBZ</b>
20 way	<b>TPH20BSSNBZ</b>
21 way	<b>TPH21BSSNBZ</b>
22 way	<b>TPH22BSSNBZ</b>
23 way	<b>TPH23BSSNBZ</b>
24 way	<b>TPH24BSSNBZ</b>
25 way	<b>TPH25BSSNBZ</b>
26 way	<b>TPH26BSSNBZ</b>
27 way	<b>TPH27BSSNBZ</b>
28 way	<b>TPH28BSSNBZ</b>
29 way	<b>TPH29BSSNBZ</b>
30 way	<b>TPH30BSSNBZ</b>
31 way	<b>TPH31BSSNBZ</b>
32 way	<b>TPH32BSSNBZ</b>
33 way	<b>TPH33BSSNBZ</b>
34 way	<b>TPH34BSSNBZ</b>
35 way	<b>TPH35BSSNBZ</b>
36 way	<b>TPH36BSSNBZ</b>
37 way	<b>TPH37BSSNBZ</b>
38 way	<b>TPH38BSSNBZ</b>
39 way	<b>TPH39BSSNBZ</b>
40 way	<b>TPH40BSSNBZ</b>


**Dimensions (mm)****Pad Pattern**

**Through Hole**


A range of straight, through hole mounting, extended pin headers on a 2.0mm pitch. Available in single and double row, each offers the option of either a 6mm or 12mm stacking height.

**SINGLE ROW**


Choice of 2 to 40 ways with option of 6mm or 12mm stacking height.




Type	Manf. Part No. & anglia Order Code	
	6mm	12mm
<b>STRAIGHT</b>		
2 way	TPH02BSSZ06	TPH02BSSZ12
3 way	TPH03BSSZ06	TPH03BSSZ12
4 way	TPH04BSSZ06	TPH04BSSZ12
5 way	TPH05BSSZ06	TPH05BSSZ12
6 way	TPH06BSSZ06	TPH06BSSZ12
7 way	TPH07BSSZ06	TPH07BSSZ12
8 way	TPH08BSSZ06	TPH08BSSZ12
9 way	TPH09BSSZ06	TPH09BSSZ12
10 way	TPH10BSSZ06	TPH10BSSZ12
11 way	TPH11BSSZ06	TPH11BSSZ12
12 way	TPH12BSSZ06	TPH12BSSZ12
13 way	TPH13BSSZ06	TPH13BSSZ12
14 way	TPH14BSSZ06	TPH14BSSZ12
15 way	TPH15BSSZ06	TPH15BSSZ12
16 way	TPH16BSSZ06	TPH16BSSZ12
17 way	TPH17BSSZ06	TPH17BSSZ12
18 way	TPH18BSSZ06	TPH18BSSZ12
19 way	TPH19BSSZ06	TPH19BSSZ12
20 way	TPH20BSSZ06	TPH20BSSZ12
21 way	TPH21BSSZ06	TPH21BSSZ12
22 way	TPH22BSSZ06	TPH22BSSZ12
23 way	TPH23BSSZ06	TPH23BSSZ12
24 way	TPH24BSSZ06	TPH24BSSZ12
25 way	TPH25BSSZ06	TPH25BSSZ12
26 way	TPH26BSSZ06	TPH26BSSZ12
27 way	TPH27BSSZ06	TPH27BSSZ12
28 way	TPH28BSSZ06	TPH28BSSZ12
29 way	TPH29BSSZ06	TPH29BSSZ12
30 way	TPH30BSSZ06	TPH30BSSZ12
31 way	TPH31BSSZ06	TPH31BSSZ12
32 way	TPH32BSSZ06	TPH32BSSZ12
33 way	TPH33BSSZ06	TPH33BSSZ12
34 way	TPH34BSSZ06	TPH34BSSZ12
35 way	TPH35BSSZ06	TPH35BSSZ12
36 way	TPH36BSSZ06	TPH36BSSZ12
37 way	TPH37BSSZ06	TPH37BSSZ12
38 way	TPH38BSSZ06	TPH38BSSZ12
39 way	TPH39BSSZ06	TPH39BSSZ12
40 way	TPH40BSSZ06	TPH40BSSZ12

**Dimensions (mm)****DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins) with option of 6mm or 12mm stacking height.



Type	Manf. Part No. & anglia Order Code	
	6mm	12mm
<b>STRAIGHT</b>		
2 way	TPH02BDSZ06	TPH02BDSZ12
3 way	TPH03BDSZ06	TPH03BDSZ12
4 way	TPH04BDSZ06	TPH04BDSZ12
5 way	TPH05BDSZ06	TPH05BDSZ12
6 way	TPH06BDSZ06	TPH06BDSZ12
7 way	TPH07BDSZ06	TPH07BDSZ12
8 way	TPH08BDSZ06	TPH08BDSZ12
9 way	TPH09BDSZ06	TPH09BDSZ12
10 way	TPH10BDSZ06	TPH10BDSZ12
11 way	TPH11BDSZ06	TPH11BDSZ12
12 way	TPH12BDSZ06	TPH12BDSZ12
13 way	TPH13BDSZ06	TPH13BDSZ12
14 way	TPH14BDSZ06	TPH14BDSZ12
15 way	TPH15BDSZ06	TPH15BDSZ12
16 way	TPH16BDSZ06	TPH16BDSZ12
17 way	TPH17BDSZ06	TPH17BDSZ12
18 way	TPH18BDSZ06	TPH18BDSZ12
19 way	TPH19BDSZ06	TPH19BDSZ12
20 way	TPH20BDSZ06	TPH20BDSZ12
21 way	TPH21BDSZ06	TPH21BDSZ12
22 way	TPH22BDSZ06	TPH22BDSZ12
23 way	TPH23BDSZ06	TPH23BDSZ12
24 way	TPH24BDSZ06	TPH24BDSZ12
25 way	TPH25BDSZ06	TPH25BDSZ12
26 way	TPH26BDSZ06	TPH26BDSZ12
27 way	TPH27BDSZ06	TPH27BDSZ12
28 way	TPH28BDSZ06	TPH28BDSZ12
29 way	TPH29BDSZ06	TPH29BDSZ12
30 way	TPH30BDSZ06	TPH30BDSZ12
31 way	TPH31BDSZ06	TPH31BDSZ12
32 way	TPH32BDSZ06	TPH32BDSZ12
33 way	TPH33BDSZ06	TPH33BDSZ12
34 way	TPH34BDSZ06	TPH34BDSZ12
35 way	TPH35BDSZ06	TPH35BDSZ12
36 way	TPH36BDSZ06	TPH36BDSZ12
37 way	TPH37BDSZ06	TPH37BDSZ12
38 way	TPH38BDSZ06	TPH38BDSZ12
39 way	TPH39BDSZ06	TPH39BDSZ12
40 way	TPH40BDSZ06	TPH40BDSZ12


**Dimensions (mm)**

**Surface Mount**




A range of straight, surface mounting, extended pin headers on a 2.54mm pitch available in single and double row.

**SINGLE ROW**


Choice of 2 to 40 ways.







Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TPH02SSNBZ</b>
3 way	<b>TPH03SSNBZ</b>
4 way	<b>TPH04SSNBZ</b>
5 way	<b>TPH05SSNBZ</b>
6 way	<b>TPH06SSNBZ</b>
7 way	<b>TPH07SSNBZ</b>
8 way	<b>TPH08SSNBZ</b>
9 way	<b>TPH09SSNBZ</b>
10 way	<b>TPH10SSNBZ</b>
11 way	<b>TPH11SSNBZ</b>
12 way	<b>TPH12SSNBZ</b>
13 way	<b>TPH13SSNBZ</b>
14 way	<b>TPH14SSNBZ</b>
15 way	<b>TPH15SSNBZ</b>
16 way	<b>TPH16SSNBZ</b>
17 way	<b>TPH17SSNBZ</b>
18 way	<b>TPH18SSNBZ</b>
19 way	<b>TPH19SSNBZ</b>
20 way	<b>TPH20SSNBZ</b>
21 way	<b>TPH21SSNBZ</b>
22 way	<b>TPH22SSNBZ</b>
23 way	<b>TPH23SSNBZ</b>
24 way	<b>TPH24SSNBZ</b>
25 way	<b>TPH25SSNBZ</b>
26 way	<b>TPH26SSNBZ</b>
27 way	<b>TPH27SSNBZ</b>
28 way	<b>TPH28SSNBZ</b>
29 way	<b>TPH29SSNBZ</b>
30 way	<b>TPH30SSNBZ</b>
31 way	<b>TPH31SSNBZ</b>
32 way	<b>TPH32SSNBZ</b>
33 way	<b>TPH33SSNBZ</b>
34 way	<b>TPH34SSNBZ</b>
35 way	<b>TPH35SSNBZ</b>
36 way	<b>TPH36SSNBZ</b>
37 way	<b>TPH37SSNBZ</b>
38 way	<b>TPH38SSNBZ</b>
39 way	<b>TPH39SSNBZ</b>
40 way	<b>TPH40SSNBZ</b>

**Dimensions (mm)****DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins).



Type	Manf. Part No. & anglia Order Code
<b>STRAIGHT</b>	
2 way	<b>TPH02DSNBZ</b>
3 way	<b>TPH03DSNBZ</b>
4 way	<b>TPH04DSNBZ</b>
5 way	<b>TPH05DSNBZ</b>
6 way	<b>TPH06DSNBZ</b>
7 way	<b>TPH07DSNBZ</b>
8 way	<b>TPH08DSNBZ</b>
9 way	<b>TPH09DSNBZ</b>
10 way	<b>TPH10DSNBZ</b>
11 way	<b>TPH11DSNBZ</b>
12 way	<b>TPH12DSNBZ</b>
13 way	<b>TPH13DSNBZ</b>
14 way	<b>TPH14DSNBZ</b>
15 way	<b>TPH15DSNBZ</b>
16 way	<b>TPH16DSNBZ</b>
17 way	<b>TPH17DSNBZ</b>
18 way	<b>TPH18DSNBZ</b>
19 way	<b>TPH19DSNBZ</b>
20 way	<b>TPH20DSNBZ</b>
21 way	<b>TPH21DSNBZ</b>
22 way	<b>TPH22DSNBZ</b>
23 way	<b>TPH23DSNBZ</b>
24 way	<b>TPH24DSNBZ</b>
25 way	<b>TPH25DSNBZ</b>
26 way	<b>TPH26DSNBZ</b>
27 way	<b>TPH27DSNBZ</b>
28 way	<b>TPH28DSNBZ</b>
29 way	<b>TPH29DSNBZ</b>
30 way	<b>TPH30DSNBZ</b>
31 way	<b>TPH31DSNBZ</b>
32 way	<b>TPH32DSNBZ</b>
33 way	<b>TPH33DSNBZ</b>
34 way	<b>TPH34DSNBZ</b>
35 way	<b>TPH35DSNBZ</b>
36 way	<b>TPH36DSNBZ</b>
37 way	<b>TPH37DSNBZ</b>
38 way	<b>TPH38DSNBZ</b>
39 way	<b>TPH39DSNBZ</b>
40 way	<b>TPH40DSNBZ</b>


**Dimensions (mm)**

**Through Hole**


A range of straight, through hole mounting, extended pin headers on a 2.54mm pitch available in single and double row.

**SINGLE ROW**


Choice of 2 to 40 ways.




Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TPH02SSZ
3 way	TPH03SSZ
4 way	TPH04SSZ
5 way	TPH05SSZ
6 way	TPH06SSZ
7 way	TPH07SSZ
8 way	TPH08SSZ
9 way	TPH09SSZ
10 way	TPH10SSZ
11 way	TPH11SSZ
12 way	TPH12SSZ
13 way	TPH13SSZ
14 way	TPH14SSZ
15 way	TPH15SSZ
16 way	TPH16SSZ
17 way	TPH17SSZ
18 way	TPH18SSZ
19 way	TPH19SSZ
20 way	TPH20SSZ
21 way	TPH21SSZ
22 way	TPH22SSZ
23 way	TPH23SSZ
24 way	TPH24SSZ
25 way	TPH25SSZ
26 way	TPH26SSZ
27 way	TPH27SSZ
28 way	TPH28SSZ
29 way	TPH29SSZ
30 way	TPH30SSZ
31 way	TPH31SSZ
32 way	TPH32SSZ
33 way	TPH33SSZ
34 way	TPH34SSZ
35 way	TPH35SSZ
36 way	TPH36SSZ
37 way	TPH37SSZ
38 way	TPH38SSZ
39 way	TPH39SSZ
40 way	TPH40SSZ

**Dimensions (mm)****DOUBLE ROW**

Choice of 2 to 40 ways (4 to 80 pins)



Type	Manf. Part No. & anglia Order Code
STRAIGHT	
2 way	TPH02DSZ
3 way	TPH03DSZ
4 way	TPH04DSZ
5 way	TPH05DSZ
6 way	TPH06DSZ
7 way	TPH07DSZ
8 way	TPH08DSZ
9 way	TPH09DSZ
10 way	TPH10DSZ
11 way	TPH11DSZ
12 way	TPH12DSZ
13 way	TPH13DSZ
14 way	TPH14DSZ
15 way	TPH15DSZ
16 way	TPH16DSZ
17 way	TPH17DSZ
18 way	TPH18DSZ
19 way	TPH19DSZ
20 way	TPH20DSZ
21 way	TPH21DSZ
22 way	TPH22DSZ
23 way	TPH23DSZ
24 way	TPH24DSZ
25 way	TPH25DSZ
26 way	TPH26DSZ
27 way	TPH27DSZ
28 way	TPH28DSZ
29 way	TPH29DSZ
30 way	TPH30DSZ
31 way	TPH31DSZ
32 way	TPH32DSZ
33 way	TPH33DSZ
34 way	TPH34DSZ
35 way	TPH35DSZ
36 way	TPH36DSZ
37 way	TPH37DSZ
38 way	TPH38DSZ
39 way	TPH39DSZ
40 way	TPH40DSZ


**Dimensions (mm)**

**Through Hole****TAICOM type TPH-T & TTS**


Straight, through hole mounting, single row headers and sockets with precision turned pins on a 2.54mm pitch designed to be broken down to the required amount of ways. Pins are tin plated as standard with gold plating available to special order.

**TURNED PIN HEADERS**

Choice of 20 and 32 ways, single row.

**Specification**

Termination pins .....	Copper alloy, tin plated
Insulators .....	Black PPS flame retardant to UL94V-0
Current rating .....	1A
Proof voltage .....	500Vac
Insulation resistance (min) .....	5000MΩ
Operating temperature range .....	-40°C to +105°C

**Dimensions (mm)**

**STRAIGHT**  
Type  
20 way  
32 way

**Manf. Part No.  
& anglia  
Order Code**  
**TPH20SST**  
**TPH32SST**

**STRAIGHT**  
Type  
20 way  
32 way

**Manf. Part No.  
& anglia  
Order Code**  
**TTS20**  
**TTS32**

**TAICOM**

For the very latest information and news on the full range of TAICOM products available from Anglia, visit our website :

[www.anglia.com/taicom](http://www.anglia.com/taicom)

Alternatively, contact our Sales Desk to discuss your specific requirements.