

#### **Public Products List**

Publict Products are off the shelf products. They are not dedicated to specific customers, they are available through ST Sales team, or Distributors, and visible on ST.com

*PCI Title :* CHANGE OF SUPPLIER FOR 3CP21710 (CARRIER TAPE Wi 12mm QFN/LGA 5x5x0.55) *PCI Reference :* CRP/22/12731

Subject : Public Products List

Dear Customer,

#### Please find below the Standard Public Products List impacted by the change.

STM32F051K4U7TR	STM32F051K8U6TR	STM8S105K4U3ATR
STM8S105K6U6ATR	STM32F051K8U7TR	STM32F051K6U6TR
STM8L151K6U6TR	STM8S105K4U6ATR	STM8S105K6U3ATR
STM32F031K6U6TR	STM32F031K4U6TR	STM8L151K4U6TR
STM32F051K4U6TR	STM8L152K6U6TR	STM32F051K6U7TR

#### IMPORTANT NOTICE - PLEASE READ CAREFULLY

Subject to any contractual arrangement in force with you or to any industry standard implemented by us, STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics - All rights reserved




### PRODUCT / PROCESS CHANGE INFORMATION


### <u>PCI - CHANGE OF SUPPLIER FOR 3CP21710 (CARRIER TAPE Wi 12mm</u> <u>QFN/LGA 5x5x0.55)</u>

#### WHAT is the change?

Change of supplier for ST material code reference: 3CP21710 (CARRIER TAPE Wi 12mm QFN/LGA 5x5x0.55) from PEAK to ADVANTEK which affected ST CALAMBA.

#### CURRENT: PEAK





#### WHY?

• PEAK has declared to discontinue production of 3CP21710.

#### WHEN will this change occur?

Change targeted date is mid of July 2022 and cut-in 100% in production to fulfill customer demand.

#### HOW will the change be qualified?

• Pls refer to attached qualification reports in Appendix 2.

#### **IMPACTS of the Change**

Form:	No change on product
Fit:	No change on product
Function:	No change on product
Reliability:	No change on product
Processability:	No change on product

#### APPENDICES:

APPENDIX 1Risk assessmentAPPENDIX 2Qualification planAPPENDIX 3Qualification results

#### **APPENDIX 1: RISK ASSESSMENT**

#	Risks identified	Potential risk resulting from	<b>Class</b> (Low / Medium)	Considered action
1	Insufficient lead protection from accidental drops up to 4 ft height	Units cannot be soldered at PCBA due to bent leads	Medium	Perform drop test from 4 ft height to ensure no bent leads
2	Insufficient clearance between leads and carrier tape pocket	Bent leads due to mechanical contact	Medium	Perform fit analysis considering all potential combinations for carrier tape vs package dimensions
3	Opened/improper cover tape sealing	Units drop out of carrier tape	Medium	Perform peel off strength test to ensure it meets ST requirements
4	Device malfunction	EOS damage due to ESD	Medium	Perform validation for ESD protection compliance
5				
6				
7				
8				
9				

- Visual inspection report
- Drop Test, Peel Test and ESD Test
- Fit Analysis

#### **APPENDIX 3: QUALIFICATION EXECUTION & RESULTS**


# **Visual Inspection Report**

Visual inspection	Results
Does not contain stain or foreign material	Passed
No Damage	Passed
No Burr	Passed
Orientation	Passed
The component does not protrude above the top surface of the carrier tape	Passed
The component can be removed from the cavity in a vertical direction without mechanical restriction, after the top cover tape has been removed.	Passed
Lateral movement of the component is restricted to 1.0mm maximum	Passed

# Drop Test, Peel Test and ESD Test

Test	Result
Drop Test Result	Passed
Peel Test Result	Passed
ESD Test Result	Passed

## **CADFIT** Simulation



#### FIT Test: Passed

**Results : Passed** 

### Sufficient clearance available between leads and carrier tape cavity

# Conclusion

Based on above material qualification, the 12mm carrier tape from Advantek for QFN/BGA 5x5x0.55mm with drawing number ML0505-G passed the Tape and Reel processing requirements.

