



Public Products List

Public Products are off the shelf products. They are not dedicated to specific customers, they are available through ST Sales team, or Distributors, and visible on ST.com

PCI Title : CHANGE OF SUPPLIER FOR 3CP40618 (CARRIER TAPE Wi 12mm QFN/LGA/PFLAT 5x5x1)

PCI Reference : CRP/22/12732

Subject : Public Products List

Dear Customer,

Please find below the Standard Public Products List impacted by the change.

L6229Q	PM6766TR	PM6779TR
PM6680TR	STPM33TR	L2293Q
STPM34TR	L6230Q	STLUX325A
PM6686TR	PM6773TR	STNRG328A
ALED7707	L6226Q	PM6680ATR
L6227Q	PM6766	L6228Q



IMPORTANT NOTICE – PLEASE READ CAREFULLY

Subject to any contractual arrangement in force with you or to any industry standard implemented by us, STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.


Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

PCI - CHANGE OF SUPPLIER FOR 3CP40618 (CARRIER TAPE Wi 12mm QFN/LGA/PFLAT 5x5x1)


WHAT is the change?

Change of supplier for ST material code reference: 3CP40618 (CARRIER TAPE Wi 12mm QFN/LGA/PFLAT 5x5x1) from PEAK to ADVANTEK which affected ST CALAMBA.

CURRENT: PEAK



NEW: ADVANTEK



WHY?

- PEAK has declared to discontinue production of 3CP40618.

WHEN will this change occur?

Change targeted date is 1st August 2022 and cut-in 100% in production to fulfill customer demand.

HOW will the change be qualified?

- Pls refer to attached qualification reports in Appendix 2.

IMPACTS of the Change

Form: No change on product
 Fit: No change on product
 Function: No change on product
 Reliability: No change on product
 Processability: No change on product

APPENDICES:

- APPENDIX 1 Risk assessment
- APPENDIX 2 Qualification plan
- APPENDIX 3 Qualification results

APPENDIX 1: RISK ASSESSMENT

#	Risks identified	Potential risk resulting from	Class (Low / Medium)	Considered action
1	Insufficient lead protection from accidental drops up to 4 ft height	Units cannot be soldered at PCBA due to bent leads	Medium	Perform drop test from 4 ft height to ensure no bent leads
2	Insufficient clearance between leads and carrier tape pocket	Bent leads due to mechanical contact	Medium	Perform fit analysis considering all potential combinations for carrier tape vs package dimensions
3	Opened/improper cover tape sealing	Units drop out of carrier tape	Medium	Perform peel off strength test to ensure it meets ST requirements
4	Device malfunction	EOS damage due to ESD	Medium	Perform validation for ESD protection compliance
5				
6				
7				
8				
9				

APPENDIX 2: QUALIFICATION PLAN

- Visual inspection report
- Drop Test, Peel Test and ESD Test
- Fit Analysis

APPENDIX 3: QUALIFICATION EXECUTION & RESULTS


Visual Inspection Report

Visual inspection	Results
Does not contain stain or foreign material	Passed
No Damage	Passed
No Burr	Passed
Orientation	Passed
The component does not protrude above the top surface of the carrier tape	Passed
The component can be removed from the cavity in a vertical direction without mechanical restriction, after the top cover tape has been removed.	Passed
Lateral movement of the component is restricted to 1.0mm maximum	Passed

Drop Test, Peel Test and ESD Test

Test	Result
Drop Test Result	Passed
Peel Test Result	Passed
ESD Test Result	Passed

CADFIT SIMULATION



Results : Passed

Sufficient clearance available between leads and carrier tape cavity

Conclusion

Based on above material qualification, the 12mm carrier tape from Advantek for QFN 5x5x1mm passed the Calamba requirement and can be used for normal tape and reeling process.