



Product/Process Change Notice - PCN 13_0045 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Material Report). Any issues with this PCN or requirements to qualify the change (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title: AD5545/AD5555 Datasheet Correction

Publication Date: 25-Feb-2013

Effectivity Date: 25-Feb-2013 *(the earliest date that a customer could expect to receive changed material)*

Revision Description:

Initial Release

Description Of Change

Remove 3V +/-10% power supply range option from Pin Function Description Table in AD5545/AD5555 datasheet.

Reason For Change

AD5545/AD5555 power supply range is specified from 4.5V to 5.5V.
Update Datasheet to remove reference to 3V +/- 10% range option.

Impact of the change (positive or negative) on fit, form, function & reliability

There will be no impact on fit, form function or reliability.

Summary of Supporting Information

The AD5545/AD5555 datasheet revision F reflects the correct power supply range.

Supporting Documents None

For questions on this PCN, send email to the regional contacts below or contact your local ADI sales representative

Americas: PCN_Americas@analog.com

Europe: PCN_Europe@analog.com

Japan: PCN_Japan@analog.com

Rest of Asia: PCN_ROA@analog.com

Appendix A - Affected ADI Models

Added Parts On This Revision - Product Family / Model Number (9)

AD5645 / AD5645BRU	AD5645 / AD5645BRUZ	AD5645 / AD5645BRUZ-REEL7	AD5645 / AD5645CRUZ	AD5645 / AD5645CRUZ-REEL7
AD5665 / AD5665CRU	AD5665 / AD5665CRU-REEL7	AD5665 / AD5665CRUZ	AD5665 / AD5665CRUZ-REEL7	

Appendix B - Revision History

Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	25-Feb-2013	25-Feb-2013	Initial Release

Analog Devices, Inc.

DocId:2295 Parent DocId:None Layout Rev:7