

Date: May 9, 2023

Attention: CDE Reps, Distributors, and Customers

Part Change Notice for Series/Type 167/184

Parts Affected...

- Entire series
- Part# XXXXX
- Select part#s...see attached list

Reason for PCN...

Maximum Case dimensions updated.

Effective date: Specification updated June 2021

For additional information regarding this PCN, please contact PM,
alarson@cde.com

Copy of 167-184 PCN Affected Parts 230509

	New Dimensions							
	Inches				Millimeters			
Mfr Part #	L	T	H	S	L	T	H	S
167102J630A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167102J630A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167102J630B-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167103J250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167103J250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167103J400A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167103J400A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167103K250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167103K250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167103K400A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167103K400A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167103K630C-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
167104J100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167104J100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167104J250C-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
167104J63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167104J63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167104K100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167104K100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167104K63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167104K63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167105J63C-F	0.413	0.236	0.472	0.295	10.5	6	12	7.5
167105J63C-F	0.413	0.236	0.472	0.295	10.5	6	12	7.5
167105K63C-F	0.413	0.236	0.472	0.295	10.5	6	12	7.5
167105K63C-F	0.413	0.236	0.472	0.295	10.5	6	12	7.5
167124J100B-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167152J630A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167152J630A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167152K630A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167152K630A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
167153J250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5

	Old Dimensions							
	Inches				Millimeters			
	L	T	H	S	L	T	H	S
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.197	0.433	0.295	10.5	5	11	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.197	0.433	0.295	10.5	5	11	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	

Mfr Part #	New Dimensions				S	Millimeters			
	Inches	L	T	H		L	T	H	S
167153J250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167153K250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167154J63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167183J250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167183K250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167222J630A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167223J250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167223K250A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167224J63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167224K63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167274K63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167332J630A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167333J100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167333J400C-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5	
167333K100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167334J63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167334K63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167472J400A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167472K400A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167473J100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167473K100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167474J63B-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5	
167474K63B-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5	
167562J400A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167682J400A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167682K400A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167683J100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167683J63A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167683K100A-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
184102J630RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
184102J630RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	

Mfr Part #	Old Dimensions				S	Millimeters			
	Inches	L	T	H		L	T	H	S
167153J250A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167153K250A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167154J63A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167183J250A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167183K250A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167222J630A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167223J250A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167223K250A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167224J63A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167224K63A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167274K63A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167332J630A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167333J100A-F									
167333J400C-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167333K100A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167334J63A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167334K63A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167472J400A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167472K400A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167473J100A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167473K100A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167474J63B-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167474K63B-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5	
167562J400A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167682J400A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167682K400A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167683J100A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167683J63A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
167683K100A-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
184102J630RAA-F									
184102J630RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	

Copy of 167-184 PCN Affected Parts 230509

	New Dimensions							
Mfr Part #	Inches				Millimeters			
	L	T	H	S	L	T	H	S
184102K630RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184102K630RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184103J250RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184103J250RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184103J400RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184103J400RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184103K250RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184103K250RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184103K400RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184103K400RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184104J100RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184104J100RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184104J63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184104J63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184104K100RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184104K100RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184104K100RAC-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184104K63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184104K63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184105J63RCA-F	0.413	0.236	0.472	0.295	10.5	6	12	7.5
184105J63RCB-F	0.413	0.236	0.472	0.295	10.5	6	12	7.5
184105K63RCA-F	0.413	0.236	0.472	0.295	10.5	6	12	7.5
184105K63RCB-F	0.413	0.236	0.472	0.295	10.5	6	12	7.5
184152J630RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184152J630RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184152K630RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184152K630RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184153J250RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184153J250RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184153K250RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184153K250RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5

	Old Dimensions							
Mfr Part #	Inches				Millimeters			
	L	T	H	S	L	T	H	S
184102K630RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184102K630RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184103J250RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184103J250RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184103J400RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184103J400RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184103K250RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184103K250RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184103K400RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184103K400RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184104J100RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184104J100RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184104J63RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184104J63RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184104K100RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184104K100RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184104K100RAC-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184104K63RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184104K63RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184105J63RCA-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
184105J63RCB-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
184105K63RCA-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
184105K63RCB-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
184152J630RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184152J630RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184152K630RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184152K630RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184153J250RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184153J250RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184153K250RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184153K250RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5

Copy of 167-184 PCN Affected Parts 230509

	New Dimensions							
	Inches				Millimeters			
Mfr Part #	L	T	H	S	L	T	H	S
184154J100ABB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184154J63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184154J63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184154K63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184154K63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184183J250RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184183J250RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184183K250RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184183K250RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184222J630RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184222J630RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184222K630RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184222K630RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184223J250RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184223J250RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184223K250RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184223K250RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184224J100RCC3-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
184224J63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184224J63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184224K63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184224K63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184274J63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184274J63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184274K63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184274K63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184332J630RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184332J630RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184332K630RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184332K630RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184333J100AAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5

	Old Dimensions							
	Inches				Millimeters			
	L	T	H	S	L	T	H	S
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	
0.413	0.138	0.276	0.295	10.5	3.5	7	7.5	

	New Dimensions							
Mfr Part #	Inches				Millimeters			
	L	T	H	S	L	T	H	S
184333J100RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184333J100RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184333K100RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184333K100RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184334J63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184334J63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184334K63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184334K63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184472J400RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184472J400RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184472K400RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184472K400RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184473J100RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184473J100RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184473K100RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184473K100RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184474J63RBA-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
184474J63RBB-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
184474K63RBA-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
184474K63RBB-F	0.413	0.197	0.433	0.295	10.5	5	11	7.5
184562J400RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184562J400RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184562K400RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184562K400RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184682J400RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184682J400RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184682K400RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184682K400RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184683J100RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184683J100RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184683J63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5

	Old Dimensions							
Mfr Part #	Inches				Millimeters			
	L	T	H	S	L	T	H	S
184333J100RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184333J100RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184333K100RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184333K100RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184334J63RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184334J63RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184334K63RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184334K63RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184472J400RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184472J400RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184472K400RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184472K400RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184473J100RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184473J100RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184473K100RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184473K100RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184474J63RBA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184474J63RBB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184474K63RBA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184474K63RBB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184562J400RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184562J400RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184562K400RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184562K400RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184682J400RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184682J400RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184682K400RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184682K400RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184683J100RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184683J100RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184683J63RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5

Copy of 167-184 PCN Affected Parts 230509

	New Dimensions							
	Inches				Millimeters			
Mfr Part #	L	T	H	S	L	T	H	S
184683J63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184683K100RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184683K100RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184683K63RAA-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5
184683K63RAB-F	0.413	0.157	0.354	0.295	10.5	4	9	7.5

	Old Dimensions							
	Inches				Millimeters			
Mfr Part #	L	T	H	S	L	T	H	S
184683J63RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184683K100RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184683K100RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184683K63RAA-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5
184683K63RAB-F	0.413	0.138	0.276	0.295	10.5	3.5	7	7.5