

Business Unit:	HARTING Electronics	PCN/ InduCom/14/11/ABCD
Product range:	Inducom	Date: 2014-02-17
Author:	D Desourteaux , EC-GPM	Page 1/3
Title:	Inducom Hood size 1 (9pol) Top entry and accessories New generation	

Details of product changes

1. Concerned part number (see also attachment):

Hood 9 pole top entry



Catalogue P/N	Description
61 03 001 0010	Full metal hood 9P T&S entry K scr 4-40
61 03 001 1010	Full metal hood 9P T&S entry H scr M3
61 03 001 2010	Full metal hood 9P T&S entry H scr 4-40
61 03 001 3010	Full metal hood 9P T&S entry K scr M3
61 03 001 0010 010	Full metal hood 9P T&S entry K scr 4-40, WO grounding screw
61 03 001 1010 010	Full metal hood 9P T&S entry H scr M3, WO grounding screw
61 03 001 2010 010	Full metal hood 9P T&S entry H scr 4-40, WO grounding screw
61 03 001 3010 010	Full metal hood 9P T&S entry K scr M3 , WO grounding screw

Crimp Flange / Ferrule



Catalogue P/N	Description
61 03 000 0045	Inducom Crimp ferrule 5,0 - 6,0mm
61 03 000 0046	Inducom Crimp ferrule 5,5 - 6,5mm
61 03 000 0047	Inducom Crimp ferrule 6,0 - 7,0mm
61 03 000 0048	Inducom Crimp ferrule 6,5 - 7,5mm
61 03 000 0049	Inducom Crimp ferrule 7,0 - 8,0mm
61 03 000 0050	Inducom Crimp ferrule 7,5 - 8,5mm
61 03 000 0051	Inducom Crimp ferrule 8,0 - 9,0mm
61 03 000 0052	Inducom Crimp ferrule 8,5 - 9,8mm
61 03 000 0053	Inducom Crimp ferrule 9,0 - 10,0mm
61 03 000 0062	Crimp flange for Hood 9-37P 3,0-4,0mm
61 03 000 0063	Crimp flange for Hood 9-37P 3,5-4,5mm
61 03 000 0064	Crimp flange for Hood 9-37P 4,0-5,0mm
61 03 000 0065	Crimp flange for Hood 9-37P 4,5-5,5mm
61 03 000 0066	Crimp flange for Hood 9-37P 5,0-6,0mm
61 03 000 0067	Crimp flange for Hood 9-37P 6,0-7,0mm
61 03 000 0068	Crimp flange for Hood 9-37P 6,5-7,5mm

Cable Clamp / Blank piece

-	Catalogue P/N	Description	
A	6103000042	Blanking piece for metal hood 9-37 poles	
	6103000044	Cable clamp metal hood 9-37P dia.7-10mm	
CA C	61030000141	cable clamp metal hood 9-37P dia.5-7mm	
- de	61030000143	cable clamp metal hood 9-37P dia.10-12mm	



PCN

2. Description of changes / news:

- External and internal dimension are idendical



Old Version

New version



Old Version New version



Note : the new version do not have the noses in the connector edge area

- The 4 screw to close the cover are not losable . This will ease the handling and allow your customer to save labour cost .





