

Product Change Notification

PCN26-1-Rev A_K12C - Relocation of rubber boot assembly operation

C&K

2 rue Berthollet - B.P. 359 F-39105 Dole Cedex - France
Tel : +33 (0)3 84 72 81 12 www.ckswitches.com

Document subject to change without prior notice

PCN26-1-Rev A_K12C - Relocation of rubber boot assembly operation

Document revision

| Revision | Date | Description | Author |
|----------|--------------------|-------------|-----------|
| A | January 19th, 2026 | Creation | R.Clement |

C&K

2 rue Berthollet - B.P. 359 F-39105 Dole Cedex - France
Tel : +33 (0)3 84 72 81 12 www.ckswitches.com

Document subject to change without prior notice

PCN26-1-Rev A_K12C - Relocation of rubber boot assembly operation

Summary

| | |
|--|---|
| 1. Purpose..... | 4 |
| 2. Overview | 4 |
| 3. Impact of Change and Qualification..... | 4 |
| 4. Part numbers affected | 4 |
| 5. Date of application | 5 |
| 6. Conditions of application..... | 5 |
| 7. Acknowledgement..... | 5 |
| 8. Support | 5 |

C&K

2 rue Berthollet - B.P. 359 F-39105 Dole Cedex - France
Tel :+33 (0)3 84 72 81 12 www.ckswitches.com

Document subject to change without prior notice

PCN26-1-Rev A_K12C - Relocation of rubber boot assembly operation

1. Purpose

C&K, as design and manufacturing company for switches and assemblies, is constantly looking to improve the manufacturing means and processes, in order to continue serving its customers with the highest performance level.

Relocation of the rubber boot assembly operation for K12C switches.

2. Overview

Relocation from Poland to Morocco with change of sub-supplier.

3. Impact of Change and Qualification

3.1 Impact of Change:

The rubber boot assembly is the final manufacturing step, consisting of fitting the sealing rubber boot onto the switch.

Both the switch and the rubber boot will continue to be sourced from the same equipment; only the assembly operation is being relocated.

This relocation does not impact the switch's performance or integration, and therefore the existing K12C specifications remain fully applicable.

3.2 Qualification method:

The qualification has been completed in C&K, test report is available upon request.

4. Part numbers affected

All item descriptions contain "K12C" are affected by this notification.

| Material | Description |
|-------------|------------------|
| Y16J21200FP | K12C 1 2.5N |
| Y16J21500FP | K12C 1 5N |
| Y16J27500FP | K12C 1.3 5N .5 |
| Y16J27900FP | K12C 1.3 9N .5 |
| Y16K17500FP | K12CF 1.3 5N .5 |
| Y16K17900FP | K12CF 1.3 9N .5 |
| Y16K18A00FP | K12CF 1.5 20N .3 |

C&K

2 rue Berthollet - B.P. 359 F-39105 Dole Cedex - France
Tel : +33 (0)3 84 72 81 12 www.ckswitches.com

Document subject to change without prior notice

5. Date of application

Depending on the part numbers, the change will begin on February 2nd, 2026, and will be fully implemented by March 31st, 2026.

Production date traceability is recorded at C&K.

6. Conditions of application

All sales conditions remain valid.

7. Acknowledgement

We kindly ask you to acknowledge receipt of this information to your sales representative so C&K can start planning the phase in – out process accordingly

8. Support

For any question, please contact your sales representative

C&K

2 rue Berthollet - B.P. 359 F-39105 Dole Cedex - France
Tel : +33 (0)3 84 72 81 12 www.ckswitches.com

Document subject to change without prior notice

PCN26-1-Rev A_K12C - Relocation of rubber boot assembly operation