



Product/Process Change Notice - PCN 15_0112 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. **Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date.** ADI contact information is listed below.

PCN Title: ADM3252E: Redesign of Isolated Power Die
Publication Date: 27-Nov-2015
Effectivity Date: 25-Feb-2016 *(the earliest date that a customer could expect to receive changed material)*

Revision Description:

Initial Release

Description Of Change

All layer change of the ADM3252E Isolated Power die to improve start up performance.

Reason For Change

New revision of the die offers improved startup performance.

Impact of the change (positive or negative) on fit, form, function & reliability

Other than the improved start up performance this change does not affect form, fit, function or reliability.

Product Identification *(this section will describe how to identify the changed material)*

The above change is effective from date code 1538.

Summary of Supporting Information

The above change has been verified through design evaluation testing.

Supporting Documents

Attachment 1: Type: Qualification Results Summary

ADI_PCN_15_0112_Rev_-_ADM3252E_PCN_15_0112.docx

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas: PCN_Americas@analog.com

Europe: PCN_Europe@analog.com

Japan: PCN_Japan@analog.com

Rest of Asia: PCN_ROA@analog.com

Appendix A - Affected ADI Models

Added Parts On This Revision - Product Family / Model Number (1)

ADM3252E / ADM3252EABCZ				
-------------------------	--	--	--	--

Appendix B - Revision History

Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	27-Nov-2015	25-Feb-2016	Initial Release

Analog Devices, Inc.

DocId:3300 Parent DocId:None Layout Rev:7