



Product/Process Change Notice - PCN 15_0011 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. **Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date.** ADI contact information is listed below.

PCN Title: AD9528 specification table 15 changes
Publication Date: 29-Jan-2015
Effectivity Date: 29-Jan-2015 *(the earliest date that a customer could expect to receive changed material)*

Revision Description:

Initial Release

Description Of Change

Change Input High/Low Logic Levels in Table 15.

- 1) Vih minimum should be 1.3V instead of 0.75V
- 2) Vil maximum should be 0.6V instead of 1.0V

Reason For Change

Updating datasheet to accurately reflect device capabilities. There is no change to the product design

Impact of the change (positive or negative) on fit, form, function & reliability

There is no change in the product design or operation of the device therefore there will be no impact on the fit, form, function and reliability of the device

Product Identification *(this section will describe how to identify the changed material)*

The datasheet corrections apply to all material.

Summary of Supporting Information

No change to actual product, therefore no qualification required.

Supporting Documents None

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas: PCN_Americas@analog.com

Europe: PCN_Europe@analog.com

Japan: PCN_Japan@analog.com

Rest of Asia: PCN_ROA@analog.com

Appendix A - Affected ADI Models				
Added Parts On This Revision - Product Family / Model Number (2)				
AD9528 / AD9528BCPZ	AD9528 / AD9528BCPZ-REEL7			

Appendix B - Revision History			
Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	29-Jan-2015	29-Jan-2015	Initial Release